

Healthcare Services Medical & Pharmacy Policy Alerts

Number 278

January 1, 2023

This is the **January 1, 2023** issue of the Providence Health Plans, Providence Health Assurance and Providence Plan Partners, Medical and Pharmacy Policy Alert to our providers. The focus of this update is to communicate to providers' new or revised Medical or Pharmacy policy changes. The Health Plan has a standard process to review all Medical & Pharmacy Policies annually. Policies will be available for review on ProvLink and via the PHP website at: <https://healthplans.providence.org/providers/provider-support/medical-policy-pharmacy-policy-and-provider-information/>

The Provider Alert, Prior Authorization Requirements, and Medical policies are all available on ProvLink and through the link above.

NOTE: For Oregon Medicaid requests, services which do not require prior authorization will process against the Prioritized List. To determine which services require prior-authorization, please see the current PHP prior authorization list [here](#).

****EXTERNAL PROVIDER REVIEW OPPORTUNITY****

PHP Medical Policy Committee is seeking feedback from providers to serve as clinical subject matter experts (SMEs) through the policy development and annual review processes. This review process allows providers to offer their expertise and discuss relevant research in their field that will be used to support how these policy decisions are made. This will allow providers an opportunity to offer valuable insight that will help shape policies that affect provider reimbursement and patient care.

If interested, please email us at PHPmedicalpolicyinquiry@providence.org with your name, specialty, and preferred email address.

MEDICAL POLICY COMMITTEE

MEDICAL

COMPANY POLICIES

Effective 2/1/2023

<p>Cold Therapy and Cooling Devices in the Home Setting (All Lines of Business Except Medicare)</p> <p>MP51</p>	<p>Policy Updates: Removal of cooling cap CPTs from policy Codes/PA: Change CPTs 0662T & 0663T from NMN to no PA. Will process as per benefits. Remove from policy as is not a home device.</p> <p>OHP: OHP will follow the Company Policy above</p>
<p>COVID-19 Testing</p> <p>MP350</p>	<p>Policy Updates: pair-to-pay the COVID-19 laboratory testing CPT codes with selected, medically necessary diagnosis codes.</p> <ul style="list-style-type: none"> • Any of the recommended diagnosis codes at any position on the claim • Claims without one of these diagnosis codes would deny not medically necessary per the medical policy • Excluding YCCO/OHP, OTC code, and POS 12 <p>OHP: These changes do not apply to OHP. The Prioritized List and the Oregon Administrative Rules will be followed.</p>

Effective 3/1/2023

<p>Skin and Tissue Substitutes (All Lines of Business Except Medicare)</p> <p><i>Formerly All Lines of Business</i></p> <p>MP16</p>	<p>Policy Updates:</p> <ul style="list-style-type: none"> • Separating by line of business. • Restructured policy criteria to identify by product type instead of manufacturer. • Moving note on for product use for vocal cord paralysis treatment from Billings Guidelines to Criteria (as note). <p>Codes/PA:</p> <ul style="list-style-type: none"> • Change E/I treatments to NMN. <p>OHP: These changes do not apply to OHP. The Prioritized List and the Oregon Administrative Rules will be followed.</p>
<p>Urinary Incontinence Treatments (All Lines of Business Except Medicare)</p> <p>MP180</p>	<p>Policy Updates:</p> <ul style="list-style-type: none"> • Policy criteria edited to reflect medication trials only for urge urinary incontinence. Interventions now have type of incontinence listed (stress vs urge). • New minimum trial period of sacral nerve stimulation (SNS) before permanent placement (48 hrs) • New improvement rate of at least 50% during SNS trial before permanent placement • Removal for SNS updated to “Device removal or replacement may be considered medically necessary if the device has been thoroughly evaluated and found to be no longer functional and was appropriately placed for medical necessity.” <p>Codes/PA: No changes</p> <p>OHP: These changes do not apply to OHP. The Prioritized List and the Oregon Administrative Rules will be followed.</p>
<p>Premature Rupture of Membranes (PROM) Testing</p> <p>MP97</p>	<p>Policy Updates: Change denial from investigational to not medically necessary for PROM testing. Member is usually unaware that provider is going to perform a noncovered test at the time of the evaluation, thus a member denial is inappropriate.</p> <p>Codes/PA: Change denial from investigational to not medically necessary for PROM testing codes (84112, 0066U)</p> <p>OHP: These changes do not apply to OHP. The Prioritized List and the Oregon Administrative Rules will be followed.</p>

Effective 4/1/2023

<p>Joint Resurfacing (All Lines of Business Except Medicare)</p> <p>MP135</p>	<p>Policy Updates: Change procedure from E/I to NMN to standardize with language in Reimbursement and Medical Necessity policies. Removed MAKO from criteria as this is a device used. Referenced Computer-Assisted Navigation policy number to be added to policy when available (prior to effective date).</p> <p>Codes/PA: None (all codes are unlisted)</p> <p>OHP: These changes do not apply to OHP. The Prioritized List and the Oregon Administrative Rules will be followed.</p>
---	--

MEDICARE

Effective 2/1/23

<p>Drug Testing for Therapeutic or Substance Use Monitoring (Medicare Only)</p> <p>MP6</p>	<p>Policy Updates: Update to revised Medicare policy format. Continue to use Medicare guidance when available and Company policy criteria when no Medicare policy exists. Updated “Policy Guidelines” and “Billing Guidelines.” Also added additional LCDs for testing expected to be performed in other service areas.</p> <p>Codes/PA: Coding changes are as follows:</p> <ul style="list-style-type: none"> Codes 0007U, 0051U, 0082U, 0093U: Since these codes are for urine drug tests in various states, with available LCDs, remove the NMN denial and allow to process with no edits (consistent with other urine drug tests in the policy). No changes to other codes in the policy.
--	---

Effective 3/1/23

<p>Myoelectric Upper Limb Prosthesis (Medicare Only)</p> <p>MP374</p>	<p>New Medicare Advantage medical policy</p> <p>Policy Updates: New Medicare Only medical policy, separating Medicare from Commercial. Continue to use Medicare or Company criteria as directed.</p> <p>Codes/PA: Coding changes are as follows:</p> <ul style="list-style-type: none"> HCPCS code L6026: Remove E/I denial, add NMN denial No changes to other codes in this policy.
---	--

<p>Skin and Tissue Substitutes (Medicare Only)</p> <p>MP371</p>	<p>New Medicare Advantage medical policy</p> <p>Policy Updates: New Medicare Only medical policy, separating Medicare from Commercial. Continue to use Medicare or Company criteria as directed.</p> <p>Codes/PA: All codes currently either deny E/I or require PA under this policy and will be converted to a NMN denial</p>
<p>Stem Cell Therapy for Orthopedic Applications (Medicare Only)</p> <p>MP372</p>	<p>New Medicare Advantage medical policy</p> <p>Policy Updates: New Medicare Only medical policy, separating Medicare from Commercial. Continue to use Company criteria.</p> <p>Codes/PA: Coding changes are as follows:</p> <ul style="list-style-type: none"> • 0565T, 0566T, Q4206 - Remove E/I denial, add NMN denial • 0717T, 0718T - Add NMN denial • No configuration changes to other codes in this policy.
<p>Cold Therapy and Cooling Devices in the Home Setting (Medicare Only)</p> <p>MP513</p>	<p>Policy Updates: No changes to criteria.</p> <p>Codes/PA: Coding changes are as follows:</p> <ul style="list-style-type: none"> • HCPCS A9273: Add NMN denial (this is consistent with both Medicare guidance and Commercial configuration). • No changes to other codes in the policy.

VENDOR UPDATES



<p>AIM Clinical Appropriateness Guidelines for Advanced Imaging</p>	<ul style="list-style-type: none"> • <u>Advanced Imaging - Radiology</u> <ul style="list-style-type: none"> ○ Cardiac Imaging ○ Abdomen/Pelvis Imaging ○ Brain Imaging ○ Chest Imaging ○ Head and Neck Imaging ○ Oncologic Imaging • No code changes • Expansive changes: effective November 6, 2022 (highlighted in green in the review material) • Restrictive changes: effective April 9, 2023 <p>Please submit your feedback to AIM.guidelines@aimspecialtyhealth.com</p>
--	--

Here’s what’s new from the following policy committees:

Pharmacy & Therapeutics (P&T) Committee
 Oregon Region P&T Committee Meeting December 2, 2022
 Go-Live Date: Wednesday, February 01, 2023, unless otherwise noted

Table of Contents:

- [New Drugs and Combinations](#)
- [New Indications Monitoring](#)
- [Drug Safety Monitoring](#)
- [Other Formulary Changes](#)
- [New Generic Medications](#)
- [Clinical Policy Changes](#)

New Drugs and Combinations:

1. Betibeglogene autotemcel (Zynteglo) Plast. bag

- a. **Indication:** For treatment of adult and pediatric patients with beta-thalassemia who require regular red blood cell transfusions
- b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Medical	Medical	Part D: Non-formulary Part B: Medical
Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	N/A	N/A	N/A
<p>* Recommendations for placement may differ between lines of business due to regulatory requirements. ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).</p>			
Formulary Alternatives: N/A			

c. Prior Authorization Criteria for Commercial/Medicaid/Medicare Part B:

PA PROGRAM NAME	Zynteglo
MEDICATION NAME	betibeglogene autotemcel (Zynteglo)
PA INDICATION INDICATOR	1 - All FDA-Approved Indications
OFF-LABEL USES	N/A
EXCLUSION CRITERIA	N/A

REQUIRED MEDICAL INFORMATION	<p>For beta-thalassemia, Zynteglo® may be approved when all the following criteria are met:</p> <ol style="list-style-type: none"> 1. Documented diagnosis of beta-thalassemia confirmed by genetic testing 2. Patient has transfusion-dependent disease defined as one of the following: <ol style="list-style-type: none"> a. History of transfusions of at least 100 mL/kg/year of packed red blood cells (pRBCs) b. Eight or more transfusions of pRBCs per year in the two years preceding therapy 3. Patient is clinically stable and eligible to undergo the pre-conditioning regimen and infusion regimen. 4. Patient does not have any of the following: <ol style="list-style-type: none"> a. Prior history of receiving a hematopoietic stem-cell transplant b. Prior history of receiving gene therapy for the requested indication c. Advanced liver disease (such as evidence of cirrhosis and/or persistent alanine aminotransferase, aspartate transferase or direct bilirubin values greater than three times the upper limit of normal) d. Evidence of severe iron overload [such as T2* less than 10 ms by magnetic resonance imaging (MRI) or other evidence of severe iron overload in the opinion of treating physician]
AGE RESTRICTIONS	Must be 4 years of age or older
PRESCRIBER RESTRICTIONS	Must be prescribed by, or in consultation with, a hematologist
COVERAGE DURATION	Authorization will be limited to one treatment course per lifetime

2. **Sodium phenylbutyrate-taurursodiol (Relyvrio) Powd pack**

- a. **Indication:** For the treatment of amyotrophic lateral sclerosis (ALS) in adults.
- b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Formulary	Formulary	Part D: Formulary Part B: N/A
Tier**	Tier 6 - Non-Preferred Specialty	N/A	Specialty
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	56 packets/28 days	56 packets/28 days	56 packets/28 days

* Recommendations for placement may differ between lines of business due to regulatory requirements.
 ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).
Formulary Alternatives: riluzole, edaravone (Radicava ORS®)

c. Prior Authorization Criteria for Commercial/Medicaid:

PA PROGRAM NAME	Relyvrio
MEDICATION NAME	Sodium phenylbutyrate/taurursodil (Relyvrio®)
PA INDICATION INDICATOR	1 - All FDA-Approved Indications
OFF-LABEL USES	N/A
EXCLUSION CRITERIA	N/A
REQUIRED MEDICAL INFORMATION	<ol style="list-style-type: none"> 1. For initiation of therapy, all the following criteria (a-d) must be met: <ol style="list-style-type: none"> a. Documentation of diagnosis of amyotrophic lateral sclerosis (ALS) b. Documentation of baseline ALS Functional Rating Scale-Revised (ALSFRS-R) c. Forced vital capacity (FVC) greater than 60% of predicted (taken within the past three months) d. Documentation that patient is not dependent on invasive ventilation or tracheostomy 2. For patients established on therapy, all the following criteria (a-b) must be met: <ol style="list-style-type: none"> a. Documentation of a clinical benefit from therapy such as stabilization of disease or slowing of disease progression from pre-treatment baseline ALSFRS-R scores b. Documentation that patient is not dependent on invasive ventilation or tracheostomy
AGE RESTRICTIONS	N/A
PRESCRIBER RESTRICTIONS	Must be prescribed by, or in consultation with, a neurologist with expertise in ALS
COVERAGE DURATION	Initial authorization will be approved for six months. Reauthorization will be approved for one year.

d. Prior Authorization Criteria for Medicare Part D:

PA PROGRAM NAME	Relyvrio
MEDICATION NAME	Sodium phenylbutyrate/taurursodil (Relyvrio®)
PA INDICATION INDICATOR	1 - All FDA-Approved Indications

OFF-LABEL USES	N/A
EXCLUSION CRITERIA	N/A
REQUIRED MEDICAL INFORMATION	<ol style="list-style-type: none"> 1. For initiation of therapy, all the following criteria (a-d) must be met: <ol style="list-style-type: none"> a. Documentation of diagnosis of amyotrophic lateral sclerosis (ALS) b. Documentation of baseline ALS Functional Rating Scale-Revised (ALSFRS-R) c. Forced vital capacity (FVC) greater than 60% of predicted (taken within the past three months) d. Documentation that patient is not dependent on invasive ventilation or tracheostomy 2. For patients established on therapy, all the following criteria (a-b) must be met: <ol style="list-style-type: none"> a. Documentation of a clinical benefit from therapy such as stabilization of disease or slowing of disease progression from pre-treatment baseline ALSFRS-R scores b. Documentation that patient is not dependent on invasive ventilation or tracheostomy
AGE RESTRICTIONS	N/A
PRESCRIBER RESTRICTIONS	Must be prescribed by, or in consultation with, a neurologist with expertise in ALS
COVERAGE DURATION	Initial authorization will be approved for six months. Reauthorization will be approved for one year.

3. Oteseconazole (Vivjoa) Capsule

- a. **Indication:** To reduce the incidence of recurrent vulvovaginal candidiasis (RVVC) in females with a history of RVVC who are NOT of reproductive potential.
- b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Non-formulary	Non-formulary	Part D: Non-formulary Part B: N/A
Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	N/A
Quantity Limit	18 capsules/4 months	18 capsules/4 months	N/A

* Recommendations for placement may differ between lines of business due to regulatory requirements.
 ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).

Formulary Alternatives: oral fluconazole

c. Prior Authorization Criteria for Commercial/Medicaid:

PA PROGRAM NAME	Antifungal Agents
MEDICATION NAME	Oteseconazole (Vivjoa®)
REQUIRED MEDICAL INFORMATION	<ol style="list-style-type: none"> 1. For recurrent vulvovaginal candidiasis (RVVC) (oteseconazole only) must meet all of the following criteria: <ol style="list-style-type: none"> a. Documentation that therapy is aligned with FDA approved indication (specifically, patient is a female who is NOT of reproductive potential) b. Documentation of compatible clinical symptoms (such as vulvovaginal irritation, burning, pruritus, characteristic discharge, or edema/erythema) c. Documentation of suggestive diagnosis by slide (10% KOH prep or saline mount) or fungal culture/histopathology d. Documented failure, intolerance, or contraindication to BOTH of the following: <ol style="list-style-type: none"> i. A 7- to 14-day topical azole course ii. An oral fluconazole course (specifically, oral fluconazole given every third day for a total of 3 doses)
COVERAGE DURATION	For recurrent vulvovaginal candidiasis (RVVC): initial authorization and reauthorization will be approved for six months.

d. Prior Authorization Criteria for Medicare Part D:

PA PROGRAM NAME	Antifungal Agents
MEDICATION NAME	Oteseconazole (Vivjoa®)
REQUIRED MEDICAL INFORMATION	For recurrent vulvovaginal candidiasis (RVVC) in females with a history of RVVC who are NOT of reproductive potential (oteseconazole only): a. Documentation of compatible clinical symptoms (such as vulvovaginal irritation, burning, pruritus, characteristic discharge, or edema/erythema), b. documentation of suggestive diagnosis by slide (10% KOH prep or saline mount) or fungal culture/histopathology, and c. documented failure, intolerance, or contraindication to both of the following: i. 7-14 day topical azole course and ii. An oral fluconazole course (specifically given every third day for a total of three doses)
COVERAGE DURATION	Recurrent vulvovaginal candidiasis (RVVC): initial/reauth 6 months.

4. **Olipudase alfa-rpcp (Xenpozyme) Vial**

- a. **Indication:** For the treatment of non-central nervous system (CNS) manifestations of acid sphingomyelinase deficiency (ASMD), also known as ASM-deficient Niemann-Pick disease, in adult and pediatric patients.
- b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Medical	Medical	Part D: Non-formulary Part B: Medical
Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	N/A	N/A	N/A
<p>* Recommendations for placement may differ between lines of business due to regulatory requirements. ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).</p>			
Formulary Alternatives: None			

c. **Prior Authorization Criteria for Commercial/Medicaid/Medicare Part B:**

PA PROGRAM NAME	Enzyme Replacement Therapy
MEDICATION NAME	Olipudase alfa-rpcp (Xenpozyme)
PA INDICATION INDICATOR	1 - All FDA-Approved Indications
OFF-LABEL USES	N/A
EXCLUSION CRITERIA	N/A
REQUIRED MEDICAL INFORMATION	<p>For initial authorization all the following must be met:</p> <ol style="list-style-type: none"> 1. Documentation of FDA-labeled indication for the requested product <p>AND</p> <ol style="list-style-type: none"> 2. Dosing is within FDA-labeled guidelines <p>AND</p> <p>For olipudase alfa (Xenpozyme®) only, the following additional criteria apply:</p> <ol style="list-style-type: none"> a. Clinical presentation must be consistent with acid sphingomyelinase deficiency (ASMD) type B OR ASMD type A/B

	<p>b. Spleen volume of six (6) multiples of normal (MN) or more for adults OR five (5) MN or more for those less than 18 years old</p> <p>c. For adults only, diffusing capacity of the lungs for carbon monoxide (DLco) equal to 70% or less of predicted normal value</p> <p>d. The following are excluded from coverage:</p> <ul style="list-style-type: none"> i. Use of invasive ventilatory support, or noninvasive ventilatory support while awake for greater than 12 hours a day ii. Acute or rapidly progressive neurological abnormalities and/or genotypes associated with ASMD type A, meaning homozygous for SMPD1 gene mutations R496L, L302P, and fs330 or any combination of these three mutations <p>Note: If request is for a non-FDA approved dose, medical rational must be submitted in support of therapy with a higher dose for the intended diagnosis (such as high-quality peer reviewed literature, accepted compendia or evidence-based practice guidelines) and exceptions will be considered on a case-by-case basis.</p> <p>REAUTHORIZATION: Both of the following must be met:</p> <ol style="list-style-type: none"> 1. Documentation of successful response to therapy (e.g., disease stability or improvement in symptoms). <ul style="list-style-type: none"> a. For olipudase alfa (Xenpozyme) only, documentation of improvement in at least one of the following: spleen volume, liver volume, platelet count, DLco or forced vital capacity (FVC) 2. Dosing is within FDA-labeled guidelines <p>Note: If request is for a non-FDA approved dose, medical rational must be submitted in support of therapy with a higher dose for the intended diagnosis (such as high-quality peer reviewed literature, accepted compendia or evidence-based practice guidelines) and exceptions will be considered on a case-by-case basis.</p>
--	---

5. **Spesolimab-sbzo (Spevigo) Vial**

- a. **Indication:** For the treatment of generalized pustular psoriasis (GPP) flares in adults.
- b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Medical	Medical	Part D: Non-formulary Part B: Medical

Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	No	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	N/A	N/A	N/A
<p>* Recommendations for placement may differ between lines of business due to regulatory requirements. ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).</p>			
Formulary Alternatives: cyclosporine			

c. **Prior Authorization Criteria for Commercial/Medicaid/Medicare Part B:**

PA PROGRAM NAME	Spevigo®
MEDICATION NAME	Spevigo® injection
PA INDICATION INDICATOR	1 - All FDA-Approved Indications
OFF-LABEL USES	N/A
EXCLUSION CRITERIA	N/A
REQUIRED MEDICAL INFORMATION	<p>For initial authorization, all of the following criteria must be met:</p> <ol style="list-style-type: none"> 1. Diagnosis of generalized pustular psoriasis (GPP), confirmed by both of the following: <ol style="list-style-type: none"> a. Primary, sterile, macroscopically visible pustules on non-acral skin AND b. Pustulation is not restricted to psoriatic plaques 2. Presence of an acute flare of generalized pustular psoriasis of moderate to severe intensity, as defined by: <ol style="list-style-type: none"> a. Generalized Pustular Psoriasis Physician Global Assessment (GPPGA) total score of 3 or greater AND b. The presence of new or worsening pustules AND c. Generalized Pustular Psoriasis Physician Global Assessment (GPPGA) pustulation sub score of 2 or greater AND d. At least 5% of body surface area (BSA) with erythema and the presence of pustules 3. Dosing must be in accordance with FDA-approved labeling <p>Requests for one additional dose may be approved one week after initial dose for treatment of the same flare if the following criteria are met:</p> <ol style="list-style-type: none"> 1. Generalized Pustular Psoriasis Physician Global Assessment (GPPGA) total score of 2 or higher AND

	<ol style="list-style-type: none"> 2. Generalized Pustular Psoriasis Physician Global Assessment (GPPGA) pustulation sub score of 2 or higher 3. Dosing must be in accordance with FDA-approved labeling <p>For reauthorization, all of the following criteria must be met:</p> <ol style="list-style-type: none"> 1. All criteria for initial authorization must be met AND 2. Documentation of a clinical response to prior treatment with spesolimab, defined as achieving a Generalized Pustular Psoriasis Physician Global Assessment (GPPGA) score of 0 or 1
AGE RESTRICTIONS	18 years and older
PRESCRIBER RESTRICTIONS	Must be prescribed by, or in consultation with, a dermatologist
COVERAGE DURATION	Authorization will be approved for two weeks, limited to one 900 mg (2 vials) infusion

6. **Vutrisiran sodium (Amvuttra) Syringe**

a. **Indication:** For the treatment of the polyneuropathy of hereditary transthyretin-mediated amyloidosis (hATTR-PN) in adults.

b. **Decision:**

	Commercial	Medicaid	Medicare
Formulary Status*	Medical	Medical	Part D: Non-formulary Part B: Medical
Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	N/A	N/A	N/A

* Recommendations for placement may differ between lines of business due to regulatory requirements.
 ** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).

Formulary Alternatives: patisiran (Onpatro®), inotersen (Tegsedī®), diflunisal 500 mg tablet

c. Prior Authorization Criteria for Commercial/Medicaid/Medicare Part B:

PA PROGRAM NAME	Transthyretin (TTR) Lowering Agents
MEDICATION NAME	Onpatro® (patisiran intravenous injection) Tegsedī® (inotersen subcutaneous injection) Amvuttra® (vutrisiran subcutaneous injection)
PA INDICATION INDICATOR	1 - All FDA-Approved Indications
EXCLUSION CRITERIA	<ul style="list-style-type: none"> - New York Heart Association (NYHA) Heart Functional class III or IV — Patients with type I or type II diabetes — Uncontrolled cardiac arrhythmia or unstable angina - History of liver transplantation - Peripheral neuropathy attributed to causes other than hATTR - Used in combination with other agents for the treatment of transthyretin-mediated amyloidosis [such as Amvuttra® (vutrisiran), inotersen (Tegsedī®), patisiran (Onpatro®), or tafamidis (Vyndaqel®, Vyndamax®)]
REQUIRED MEDICAL INFORMATION	<u>Reauthorization:</u> 1. Documentation that patient is tolerating applicable therapy (vutrisiran (Amvuttra®) , inotersen (Tegsedī®), or patisiran (Onpatro®))

New Indications:

Therapies with Prior Authorization Policies (Non-oncology)

1. **Orkambi® (lumacaftor/ivacaftor)**
 - a. Previous Indication(s):
 - a. ORKAMBI is a combination of lumacaftor and ivacaftor, a cystic fibrosis transmembrane conductance regulator (CFTR) potentiator, indicated for the treatment of cystic fibrosis (CF) in patients age **2 years and older** who are homozygous for the F508del mutation in the CFTR gene. If the patient’s genotype is unknown, an FDA-cleared CF mutation test should be used to detect the presence of the F508del mutation on both alleles of the CFTR gene.
 - b. New indication approved 09/02/2022:

- a. ORKAMBI is a combination of ivacaftor, a cystic fibrosis transmembrane conductance regulator (CFTR) potentiator, and lumacaftor, indicated for the treatment of cystic fibrosis (CF) in patients aged **1 year and older** who are homozygous for the F508del mutation in the CFTR gene. If the patient’s genotype is unknown, an FDA-cleared CF mutation test should be used to detect the presence of the F508del mutation on both alleles of the CFTR gene.
- c. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Update policy with new indication and update age restriction criteria in the Commercial/Medicaid policy. No changes needed to the Medicare Part D policy.
Prior Authorization for Commercial/Medicaid:

PA PROGRAM NAME	CFTR Modulators
MEDICATION NAME	Orkambi
AGE RESTRICTIONS	Ivacaftor (Kalydeco™): four months or older Lumacaftor/ivacaftor (Orkambi™): two years or older

2. **Dupixent® (dupilumab)**

- a. Previous Indication(s):
 - a. For the treatment of adult and pediatric patients aged 6 months and older with moderate-to-severe AD whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. Can be used with or without topical corticosteroids.
 - b. As an add-on maintenance treatment of adult and pediatric patients aged 6 years and older with moderate-to-severe asthma characterized by an eosinophilic phenotype or with oral corticosteroid dependent asthma
 - c. As an add-on maintenance treatment in adult patients with inadequately controlled chronic rhinosinusitis with nasal polyposis (CRSwNP)
 - d. For the treatment of adult and pediatric patients aged 12 years and older, weighing at least 40 kg, with eosinophilic esophagitis (EoE)
- b. New indication approved 09/28/2022:
 - a. For the treatment of adult patients with prurigo nodularis (PN)
- c. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Update policy with new indication and add new criteria
Prior Authorization for Commercial/Medicaid:

PA PROGRAM NAME	Dupixent
MEDICATION NAME	Dupixent
COVERED USES	1 - All FDA-Approved Indications
EXCLUSION CRITERIA	Concurrent use with another therapeutic immunomodulator agent utilized for the same indication (such as omalizumab, mepolizumab, benralizumab, reslizumab, upadacitinib)

REQUIRED MEDICAL INFORMATION	<p>For Prurigo Nodularis (PN):</p> <ol style="list-style-type: none"> 1. For initiation of therapy, all the following must be met <ol style="list-style-type: none"> a. Diagnosis of PN for at least 3 months b. Documentation of severe or very severe itch with a Worst-Itch Numeric Rating Scale (WI-NRS) score of 7 or greater c. Documentation of at least 20 PN lesions in total on both legs and/or both arms and/or trunk d. Patient had an inadequate response to, or has an intolerance or contraindication to all of the following therapies: <ol style="list-style-type: none"> a. Standard topical antipruritic agents (such as menthol and camphor, oatmeal baths, pramoxine, and calamine lotion) b. First-generation oral antihistamine, tricyclic antidepressant, or selective serotonin reuptake inhibitor for the purpose of controlling itching c. Moderate to high potency topical corticosteroid for at least two weeks (such as clobetasol 0.05%, betamethasone dipropionate 0.05%, triamcinolone 0.5%) 2. For reauthorization for PE: documentation of positive clinical response to therapy, including reduced number of PN nodules and decreased severity of itching.
AGE RESTRICTIONS	The patient's age must be within FDA labeling for the requested indication
PRESCRIBER RESTRICTIONS	<ul style="list-style-type: none"> • Prurigo Nodularis: Must be prescribed by, or in consultation with, a dermatologist
COVERAGE DURATION	For atopic dermatitis, chronic rhinosinusitis with nasal polyposis, eosinophilic esophagitis, and prurigo nodularis : Initial authorization will be approved for six months. Reauthorization will be approved for one year.

Prior Authorization for Medicare Part D:

PA PROGRAM NAME	Dupixent
MEDICATION NAME	Dupixent
PA INDICATION INDICATOR	1 - All FDA-Approved Indications

EXCLUSION CRITERIA	Concurrent use with another therapeutic immunomodulator agent utilized for the same indication.
AGE RESTRICTIONS	N/A
PRESCRIBER RESTRICTIONS	Atopic dermatitis, prurigo nodularis: Must be prescribed by, or in consultation with, a dermatologist, allergist or immunologist.
COVERAGE DURATION	Asthma: until no longer eligible with the plan. All other indications: initial/reauth 1 yr
OTHER CRITERIA:	<p>For Prurigo Nodularis (PN), all the following:</p> <ul style="list-style-type: none"> a. Diagnosis of PN for at least 3 months, b. Documentation of severe or very severe itch, c. Documentation of at least 20 PN lesions in total on both legs and/or both arms and/or trunk. d. Patient has had an inadequate response to at least 2 weeks of moderate to high topical corticosteroids (such as clobetasol, betamethasone dipropionate, triamcinolone) <p>Reauthorization for PN: documentation of positive clinical response to therapy, such as reduced number of PN nodules and decreased severity of itching.</p>

3. **Firdapse® (amifampridine)**

- a. Previous Indication(s):
 - a. For the treatment of Lambert-Eaton myasthenic syndrome (LEMS) in adults
- b. New indication approved 09/29/2022:
 - a. For the treatment of Lambert-Eaton myasthenic syndrome (LEMS) in adults and pediatric patients **6 years of age and older**
- c. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Update Commercial/Medicaid policy with new indication and modified age restriction. No changes needed to the Medicare Part D policy.
Prior Authorization for Commercial/Medicaid:

PA PROGRAM NAME	Firdapse
MEDICATION NAME	Firdapse
AGE RESTRICTIONS	N/A . The patient's age must be within FDA labeling for the requested indication.

4. **Myfembree® (relugolix, estradiol, and norethindrone acetate)**

- a. Previous Indication(s):

- a. For the management of heavy menstrual bleeding associated with uterine leiomyomas (fibroids) in premenopausal women.
- b. New indication approved 08/05/2022:
 - a. For the management of moderate to severe pain associated with endometriosis
- c. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Update policy with new indication and add Myfembree to criteria for pain associated with endometriosis
Prior Authorization for Commercial/Medicaid:

PA PROGRAM NAME	GNRH Antagonists
MEDICATION NAME	Myfembree
COVERED USES	1 - All FDA-Approved Indications
EXCLUSION CRITERIA	
REQUIRED MEDICAL INFORMATION	<p>For endometriosis (Orilissa® and Myfembree® only):</p> <p>Initial Authorization</p> <ol style="list-style-type: none"> 1. Documentation that patient has moderate to severe pain associated with endometriosis <p>AND</p> <ol style="list-style-type: none"> 2. Documentation that patient has failed a three-month trial of hormonal contraceptives unless they are not tolerated, or contraindicated

Therapies with Prior Authorization Policies (Oncology)

- a. **Imbruvica®** (ibrutinib)
 - i. New indication(s) approved 08/24/2022:
 - Adult and pediatric patients age 1 year and older with chronic graft versus host disease (cGVHD) after failure of one or more lines of systemic therapy
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.
- b. **Lynparza®** (olaparib)
 - i. **Indication Withdrawn** 8/26/2022:
 - For the treatment of adult patients with deleterious or suspected deleterious germline BRCA-mutated (gBRCAm) advanced ovarian cancer who have been treated with three or more prior lines of chemotherapy. Select patients for therapy based on an FDA-approved companion diagnostic for Lynparza
 - Indication was voluntarily withdrawn due to subgroup analysis of the SOLO3 trial showing patients treated with Lynparza saw a 33% greater risk of death than controls who received standard chemotherapy.

<https://www.biospace.com/article/astrazeneca-merck-pull-lynparza-indication-heralding-more-trouble-for-parp-inhibitors/>

- ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.
- c. **Pemazyre®** (pemigatinib)
- i. New indication(s) approved 08/26/2022:
 - For the treatment of adults with relapsed or refractory myeloid/lymphoid neoplasms (MLNs) with FGFR1 rearrangement.
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.
- d. **Retevmo®** (selpercatinib)
- i. New indication(s) approved 09/21/2022:
 - For Adult patients with locally advanced or metastatic non-small cell lung cancer (NSCLC) with a rearranged during transfection (RET) gene fusion, **as detected by an FDA-approved test**
 - Adult patients with locally advanced or metastatic solid tumors with a RET gene fusion that have progressed on or following prior systemic treatment or who have no satisfactory alternative treatment options
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.
- e. **Tabrecta®** (capmatinib)
- i. New full indication(s) approved 08/10/2022, previously approved under accelerated approval:
 - For the treatment of adult patients with metastatic non-small cell lung cancer (NSCLC) whose tumors have a mutation that leads to mesenchymal-epithelial transition (MET) exon 14 skipping as detected by an FDA-approved test.
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.
- f. **Enhertu®** (am-trastuzumab deruxtecan-nxki)
- i. New indication(s) approved 08/11/2022:
 - For adult patients with unresectable or metastatic non-small cell lung cancer (NSCLC) whose tumors have activating HER2 (ERBB2) mutations, as detected by an FDA-approved test, and who have received a prior systemic therapy
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.

- g. **Imfinzi®** (durvalumab)
- i. New indication(s) approved 09/02/2022:
 - In combination with gemcitabine and cisplatin, as treatment of adult patients with locally advanced or metastatic biliary tract cancer (BTC)
 - ii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert. Prior authorization policy coverage criteria are based on recommendations from the National Comprehensive Cancer Network (NCCN); no updates to the policy are warranted.

Therapies Without Prior Authorization Policies

- a. **Xofluza®** (baloxavir marboxil)
- i. Previous Indication(s):
 - Treatment of acute uncomplicated influenza in patients **12 years of age and older** who have been symptomatic for no more than 48 hours and who are:
 - Otherwise healthy, or
 - At high risk of developing influenza-related complications.
 - Post-exposure prophylaxis of influenza in patients 12 years of age and older following contact with an individual who has influenza.
 - ii. New indication(s) approved 08/11/2022:
 - Treatment of acute uncomplicated influenza in patients who have been
 - symptomatic for no more than 48 hours and who are:
 - Otherwise healthy adults and pediatric patients **5 years of age and older**, OR
 - Adults and pediatric **patients 12 years of age and older** who are at high risk of developing influenza-related complications.
 - Post-exposure prophylaxis of influenza in patients **5 years of age and older** following contact with an individual who has influenza.
 - iii. **RECOMMENDATION:** Inform prescribers via Medical Policy Alert.

Drug Safety Monitoring:

FDA Drug Safety Communications

No drug safety communications to report for this period

Drug Recalls/Market Withdrawals

1. **Drug Name:** Wonder Pill Capsules
 - **Date of Recall:** 9/28/2022
 - **Reason for recall:** Undeclared tadalafil

- **Link to more information:** <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/proper-trade-llcmy-stellar-lifestyle-issues-voluntary-nationwide-recall-wonder-pill-capsules-due>
 - **Health Plan Recommendation:** Notify providers via Medical Policy Alert.
2. **Drug Name:** Propofol Injection Emulsion, USP
 - i. **Date of Recall:** 08/22/2022
 - ii. **Reason for recall:** Potential presence of visible particulate
 - iii. **Link to more information:** <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/hospira-issues-voluntary-nationwide-recall-one-lot-propofol-injectable-emulsion-containing-benzyl>
 - iv. **Health Plan Recommendation:** Notify providers via Medical Policy Alert.
 3. **Drug Name:** Magnesium Citrate Saline Laxative Oral Solution
 - i. **Date of Recall:** 08/04/2022
 - ii. **Reason for recall:** Microbial contamination with Gluconacetobacter liquefaciens in multiple brand names, recall expanded to additional lots
 - iii. **Link to more information:** <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/vi-jon-llc-expands-voluntary-worldwide-recall-all-flavors-and-lots-within-expiry-magnesium-citrate>
 - iv. **Health Plan Recommendation:** Notify providers via Medical Policy Alert.
 4. **Drug Name:** Milk of Magnesia, Magnesium Hydroxide/Aluminum Hydroxide/Simethicone Oral Suspension
 - i. **Date of Recall:** 08/04/2022
 - ii. **Reason for recall:** Microbial contamination
 - iii. **Link to more information:** <https://www.fda.gov/drugs/drug-safety-and-availability/drug-recalls>
 - iv. **Health Plan Recommendation:** Notify providers via Medical Policy Alert.
 5. **Drug Name:** Launch Sequence Aphrodisia and Euphoria Capsules
 - i. **Date of Recall:** 08/03/2022
 - ii. **Reason for recall:** Product contains tadalafil
 - iii. **Link to more information:** <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/loud-muscle-science-llc-issues-voluntary-recall-launch-sequence-capsules-due-presence-undeclared>
 - iv. **Health Plan Recommendation:** Notify providers via Medical Policy Alert.
 6. **Drug Name:** SANGTER Energy Supplement, 3000mg
 - i. **Date of Recall:** 08/02/2022
 - ii. **Reason for recall:** Product contains undeclared sildenafil
 - iii. **Link to more information:** <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/distributor-rfr-llc-voluntary-nationwide-recall-sangter-energy-supplement-due-presence-undeclared>
 - iv. **Health Plan Recommendation:** Notify providers via Medical Policy Alert.

Other Formulary Changes:

Drug Name	Recommendation	Policy Name
Dextromethorphan hbr/ bupropion hcl (Auvelity) Tab IR ER	New combination; <ul style="list-style-type: none"> Commercial: Formulary, Tier 6, Step Therapy, Quantity Limit (two tablets per day) Medicaid: Non-Formulary (covered by DMAP) Medicare Part D: Formulary, Tier 5, Step Therapy, FDA Max (two tablets per day) Effective: 12/28/2022 (protected class)	<ul style="list-style-type: none"> Commercial/Medicare Part D: Antidepressants Step Therapy Policy Medicaid: N/A
Allopurinol 200 mg tablet	New strength; non-formulary for all lines of business	N/A
Budesonide 3 mg DR capsule	Down tier; <ul style="list-style-type: none"> Commercial Dynamic: Tier 3 	N/A
Pirfenidone Tablet	Down-tier generic and add Quantity Limit <ul style="list-style-type: none"> Commercial: Tier 5, Quantity Limit (three tablets per day) Medicaid: Formulary, Quantity Limit (three tablets per day) Effective: 03/01/2023	Esbriet/Ofev
Pirfenidone (Esbriet) Capsule	Non-preferred agent <ul style="list-style-type: none"> Commercial/Medicaid: Remove from formulary, add Quantity Limit (three tablets per day) Effective: 03/01/2023	Esbriet/Ofev
Propranolol hcl (Hemangeol) Solution	Commercial: Add to Formulary, Tier 4, Specialty	N/A
Insulin degludec (Insulin Degludec Pen [U-100]) Insulin Pen	New generic product for Tresiba®: Non-formulary for all lines of business	N/A
Methocarbamol Tablet	New strength (1000 mg); <ul style="list-style-type: none"> Commercial/Medicaid: Non-Formulary, Prior Authorization 	<ul style="list-style-type: none"> Commercial/Medicaid: New Medications and Formulations without Established Benefit

	<ul style="list-style-type: none"> • Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> • Medicare Part D: N/A
Sodium chloride for inhalation (Nebusal) Vial-Neb	Add to Commercial and Medicaid formularies <ul style="list-style-type: none"> • Commercial: Tier 4 • Medicaid: Formulary 	N/A
Orlistat Capsule	Authorized generic (Xenical); <ul style="list-style-type: none"> • Commercial Standard: Formulary, Tier 4 (only for those with coverage for weight loss medications) • Non-Formulary for all other lines of business 	N/A
Sodium thiosulfate (Pedmark) Vial	New strength (12.5g/100ml); <ul style="list-style-type: none"> • Medical Benefit, Prior Authorization for all lines of business 	Injectable Anti-Cancer Medications
Sodium phenylbutyrate (Pheburane) Granules	New dosage form (granules) and strength (483 mg/g); <ul style="list-style-type: none"> • Commercial/Medicaid: Non-Formulary, Prior Authorization, Specialty • Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> • Commercial/Medicaid: Medications For Rare Indications - Orphan Drugs • Medicare Part D: N/A
Bismuth subcitrate/ metronidazole/tetracycline (Pylera) capsule	Add Quantity Limit for Commercial: 120 capsules per 28 days	N/A
Omeprazole/amoxicillin / rifabutin (Talia) capsule	Add to Commercial Formulary: Tier 4, Quantity Limit 168 capsules per 28 days	N/A
Omeprazole/clarithromycin / amoxicillin (Omeclamox) capsule	Change Commercial formulary status: Tier 4 (from Tier 3), add Quantity Limit One pack per 28 days	<ul style="list-style-type: none"> • N/A
Sevelamer Carbonate Powder Pack	Add to Step Therapy Program for Commercial and Medicaid: Effective: 03/01/2023	<ul style="list-style-type: none"> • Commercial/Medicaid: Phosphate Binders Step Therapy Policy
Sevelamer Carbonate Tablet	Down-tier generic <ul style="list-style-type: none"> • Commercial Dynamic: Down tier from Tier 3 to Tier 2 • Medicare Part D: From Tier 4 to Tier 3 	N/A

Tadalafil (Tadliq) Oral Susp	New dosage form (oral susp); <ul style="list-style-type: none"> Commercial/Medicaid: Non-Formulary, Prior Authorization Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> Commercial/Medicaid: New Medications and Formulations without Established Benefit Medicare Part D: N/A
Tolmetin Sodium Tablet	Remove from Commercial and Medicaid formularies (obsolete agent)	N/A
Zonisamide (Zonisade) Oral Susp	New dosage form. Add to Medicare Part D Formulary, Tier 4	N/A
Roflumilast (Zoryve) Cream (G)	New route (topical), dosage form (cream) and strength (0.3%); <ul style="list-style-type: none"> Commercial/Medicaid: Non-Formulary, Prior Authorization, Quantity Limit (60 grams per 30 days) Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> Commercial/Medicaid: Vtama Medicare Part D: N/A
Dexlansoprazole (Dexilant) Cap DR MP	Remove from Commercial formulary	N/A
Avatrombopag maleate (Doptelet) Tablet	Remove from Medicaid formulary	<ul style="list-style-type: none"> Medicaid: Thrombocytopenia Medications
<ul style="list-style-type: none"> BRAND Epclusa® tablets and pellet packets 	Remove from Commercial and Medicaid formularies Effective: 01/01/2023	<ul style="list-style-type: none"> Commercial: Hepatitis C - Direct Acting Antivirals Medicaid: Hepatitis C - Direct Acting Antivirals – Medicaid
<ul style="list-style-type: none"> BRAND Harvoni® tablets and pellet packets 	Remove from Commercial and Medicaid formularies Effective: 01/01/2023	<ul style="list-style-type: none"> Commercial: Hepatitis C - Direct Acting Antivirals Medicaid: Hepatitis C - Direct Acting Antivirals – Medicaid
Sodium Zirconium Cyclosilicate (Lokelma) Powd Pack	Retire prior authorization and add to formulary: <ul style="list-style-type: none"> Commercial: Tier 3 Medicaid: Formulary Medicare part D: Tier 3 	N/A
Patiromer Calcium Sorbitex (Veltassa) Powder Pack	Retire prior authorization and add to formulary: <ul style="list-style-type: none"> Commercial: Tier 3 Medicaid: Formulary Medicare part D: Tier 3 	N/A

Glecaprevir/Pibrentasvir (Mavyret) Pellet Pack	Remove from Medicaid formulary	Medicaid: Hepatitis C - Direct Acting Antivirals – Medicaid
Lusutrombopag (Mulpleta) Tablet	Remove from Medicaid formulary	Thrombocytopenia Medications
Ketoconazole (Nizoral) Tablet	Add to Commercial Formulary: <ul style="list-style-type: none"> Commercial Standard: Tier 2 Commercial Dynamic: Tier 4 	N/A
<ul style="list-style-type: none"> Sofosbuvir (Sovaldi) Pellet Pack and Tablet Ombita/Paritap/Ritonavir/ Dasabuvir (Viekira Pak) Tab DS PK Elbasvir/Grazoprevir (Zepatier) Tablet 	Non-preferred agents; remove from Commercial formulary Effective: 01/01/2023	Hepatitis C - Direct Acting Antivirals
Sofosbuvir/Velpatas/ Voxilaprevir (Vosevi) Tablet	Non-preferred agent <ul style="list-style-type: none"> Commercial: Change from Tier 5 to Tier 6 Medicaid: Remove from Formulary Effective: 01/01/2023	<ul style="list-style-type: none"> Commercial: Hepatitis C - Direct Acting Antivirals Medicaid: Hepatitis C - Direct Acting Antivirals – Medicaid

	Commercial	Medicaid	Medicare
Formulary Status*	Medical	Medical	Part D: Non-formulary Part B: Medical
Tier**	N/A	N/A	N/A
Affordable Care Act Eligible	N/A; Non-Formulary	N/A	N/A
Utilization Management Edits	Prior Authorization	Prior Authorization	Prior Authorization
Quantity Limit	N/A	N/A	N/A

* Recommendations for placement may differ between lines of business due to regulatory requirements.

** Medications will be placed on recommended tier above for the base formulary; tier placement for custom formulary(ies) will be based on designation above. For example, Commercial Tier 6 designation above means that the medication will be placed on the highest cost-sharing tier on the respective formulary(ies).

Formulary Alternatives: patisiran (Onpattro®), inotersen (Tegsedi®), diflunisal 500 mg tablet

The formulary status for the following drugs was line extended in accordance with

Providence HealthPlan Pharmacy Operational Policy ORPTCOPS062

NEW DRUGS / COMBINATIONS / STRENGTHS / DOSAGE FORMS		
Drug Name	Action Taken	Policy Name
Lumateperone tosylate (Caplyta) Capsule	<p>Correction from October 2022 P&T:</p> <ul style="list-style-type: none"> Commercial/Medicare Part D: Add Quantity Limit (1 capsule per day) 	<ul style="list-style-type: none"> Commercial: Antipsychotics Step Therapy Policy Medicare Part D: Antipsychotics Program
Indigotindisulfonate sodium (Bludigo) Ampul	<p>New route (Ampule). Line extend with Indigo;</p> <ul style="list-style-type: none"> Medical benefit for all lines of business 	N/A
Lumacaftor/Ivacaftor (Orkambi) Gran Pack	<p>New strength (75-94 mg). Line extend with Orkambi 100-125 mg;</p> <ul style="list-style-type: none"> Commercial/Medicare Part D: Formulary, Tier 5, Prior Authorization, Quantity Limit (two packets per day) Medicaid: Formulary, Specialty, Prior Authorization, Quantity Limit (two packets per day) 	CFTR Modulators
Doxycycline hyclate (Doryx MPC) Tablet DR	<p>New strength (60mg). Line extend with Doryx MPC 120 mg;</p> <ul style="list-style-type: none"> Commercial/Medicaid: Non-Formulary, Prior Authorization Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> Commercial/Medicaid: New Medications and Formulations without Established Benefit Medicare Part D: N/A
Ibrutinib (Imbruvica) Oral Susp	<p>New dosage form (oral susp). Line extend with Imbruvica;</p> <ul style="list-style-type: none"> Commercial: Formulary, Tier 6, Prior Authorization Medicaid: Formulary, Specialty, Prior Authorization Medicare Part D: Formulary, Tier 5, Prior Authorization 	Oral Anti-Cancer Medications
Ranibizumab-eqrn (Cimerli) Vial	<p>Interchangeable with Lucentis. Line extend with Lucentis;</p>	<ul style="list-style-type: none"> Commercial/Medicaid: Ophthalmic Vascular Endothelial Growth Factor (VEGF) Inhibitors

	<ul style="list-style-type: none"> • Commercial/Medicaid: Medical Benefit, Prior Authorization • Medicare Part D: Non-Formulary • Medicare Part B: Medical Benefit, Prior Authorization & Step Therapy 	<ul style="list-style-type: none"> • Medicare Part B: Ophthalmic Vascular Endothelial Growth Factor (VEGF) Inhibitors - Medicare Part B
Dalteparin Sodium, Porcine (Fragmin) Vial	<p>New strength (10000U/4ml). Line extend with Fragmin;</p> <ul style="list-style-type: none"> • Commercial: Formulary, Tier 6, Self-Administered Drug Exclusion • Medicaid: Non-Formulary, Self-Administered Drug Exclusion • Medicare Part D: Formulary, Tier 5 	Self-Administered Drug (SAD) Exclusion

New Generics:

Drug Name	Action Taken	Policy Name
Tazarotene Gel (Gram)	<p>First generic (Tazorac). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial/Medicaid: Non-Formulary • Medicare Part D: Formulary, Tier 4, Prior Authorization 	<ul style="list-style-type: none"> • Commercial/Medicaid: N/A • Medicare Part D: Topical Retinoid Products
Lenalidomide Capsule	<p>First generic (Revlimid). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial: Formulary, Tier 5, Prior Authorization • Medicaid: Formulary, Specialty, Prior Authorization • Medicare Part D: Formulary, Tier 5, Prior Authorization 	Oral Anti-Cancer Medications
Icosapent Ethyl Capsule	<p>First generic (Vascepa). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial Standard: Formulary, Tier 2, Prior Authorization 	Vascepa

	<ul style="list-style-type: none"> • Commercial Dynamic: Formulary, Tier 3, Prior Authorization • Medicaid: Formulary, Prior Authorization • Medicare Part D: Formulary, Tier 3, Prior Authorization 	
Estradiol Gel Packet	<p>First generic (Divigel). Line extend as generic;</p> <ul style="list-style-type: none"> • Non-formulary for all lines of business 	N/A
Fingolimod hcl (Fingolimod) Capsule	<p>First generic (Gilenya). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial: Formulary, Tier 5, Quantity Limit (one capsule per day) • Medicaid: Formulary, Specialty, Quantity Limit (one capsule per day) • Medicare Part D: Formulary, Tier 5 	N/A
Clonidine hcl (Clonidine HCL ER) Tab ER	<p>Authorized generic (Nexiclon). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial/Medicaid: Non-Formulary, Prior Authorization • Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> • Commercial/Medicaid: New Medications and Formulations without Established Benefit • Medicare Part D: N/A
Cetrorelix acetate Kit	<p>First generic (Cetrotide). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial: Non-Formulary, Prior Authorization • Medicaid: Non-Formulary, Prior Authorization • Medicare Part D: Non-Formulary 	<ul style="list-style-type: none"> • Commercial/Medicaid: Fertility and Related Medications • Medicare Part D: N/A
Roflumilast Tablet	<p>First generic (Daliresp). Line extend as generic;</p> <ul style="list-style-type: none"> • Commercial Standard: Formulary, Tier 2, Prior Authorization • Commercial Dynamic: Formulary, Tier 4, Prior Authorization 	Daliresp

	<ul style="list-style-type: none"> • Medicaid: Non-Formulary, Prior Authorization • Medicare Part D: Formulary, Tier 4, Prior Authorization 	
--	---	--

Clinical Policy Changes:

MAJOR CHANGES	
Policy Name	Summary of Change
Acute Hereditary Angioedema Therapy	Policy criteria for patients established on the requested therapy has been updated to require trial and failure of generic icaltiban for requests for brand Firazyr® requests.
Aemcolo	Removed exclusion criteria to align policy with Oregon Health Authority criteria.
Albenza, Emverm	Clarified that infectious disease specialist prescribing would only be required if laboratory confirmation of parasitic infection is not available.
Alinia	Changed criteria for <i>C. parvum</i> infection to align with updated package labeling.
Chenodal	Criteria updated to include dose optimization criteria. For Medicaid, gallstones without cholecystitis is below the line, so a requirement for evidence of cholecystitis was added.
Constipation Agents	Updated criteria for chronic idiopathic constipation to resemble Rome IV diagnostic criteria more closely.
Empaveli	For Paroxysmal Nocturnal Hemoglobinuria, added “increase or stabilization of hemoglobin levels” as option for successful response to therapy at reauthorization. Added criteria for patients switching from eculizumab (Soliris®) or ravulizumab-CWVZ (Ultomiris®)
Enjaymo	Defined some of the criteria, added note that medications obtained as samples, coupons, other methods outside established health plan are not considered established on therapy.
Erythropoiesis Stimulating Agents (ESAs)	Added Mircera to policy, removed exclusion of anemia due to treatment for hepatitis C.
ESAs - Medicare Part B	
Formulary and Quantity Limit Exceptions	Added criteria for quantity limit reviews to allow for denials related to dose optimization.
Gattex	Updated to allow patients established on therapy to get continued coverage if they have a documented response to therapy.

Hepatitis C - Direct Acting Antivirals	Clarified preferred products for the Commercial line of business and that coverage of non-preferred regimens will require rationale for use over preferred formulary alternative regimens.
Hepatitis C - Direct Acting Antivirals - Medicaid	Update criteria to align with Oregon Health Authority Risk Corridor requirements. Prior authorization be removed on preferred therapies for treatment naïve patients. Additionally, life expectancy and hep B requirements were removed.
Lotronex	Re-worded criteria to clarify irritable bowel syndrome must be chronic (lasting at least six months) and not that severe symptom must have been occurring for at least six months.
Mepron	Expand prescriber restriction to allow review by infectious disease specialist, pulmonologist, hematologist, and oncologist.
Ocaliva	Increased trial duration for ursodiol from six months to 12 months.
Phosphate Binders Step Therapy Policy	Sevelamer carbonate powder packets were added to the policy due to large discrepancies in cost between these and carbonate tablets.
Prevymis	Updated criteria to align with FDA label and recommendations from the American Society for Transplantation and Cellular Therapy guideline. Retire prior authorization for Medicaid to align with Oregon Health Authority's preferred drug list.
Prevymis - Medicare Part B	
Pyrukynd	Changed criteria to initiation of therapy and for patients established on therapy, gave specific timeframes for documentation for patients established on therapy criteria.
Reblozyl	Removed minimum hemoglobin requirement for beta-thalassemia, updated criteria for myelodysplastic syndrome to align with NCCN guidelines.
Self-Administered Drug (SAD) Exclusion Policy	Drugs were added to the policy and criteria were clarified regarding prior history of anaphylaxis and appropriateness of medical administration for patients with needle phobia.
Soolantra Step Therapy Policy	Remove specific strength from metronidazole prerequisite.
Tavneos	Remove kidney and liver function criteria, remove cirrhosis as exclusion, remove requirement for reduction in glucocorticoid use from reauthorization criteria.
Thrombocytopenia Medications	Updated criteria for hematopoietic syndrome of acute radiation syndrome to align with FDA label, added indication specific criteria for hepatitis C associated thrombocytopenia.
Thrombocytopenia Medications - Medicare Part B	Updated criteria for hematopoietic syndrome of acute radiation syndrome to align with FDA label.
Ultomiris	For Paroxysmal Nocturnal Hemoglobinuria, added "increase or stabilization of hemoglobin levels" as option for successful response to therapy at reauthorization. Also added criteria
Ultomiris - Medicare Part B	

	for patients switching from pegcetacoplan (Empaveli®). For generalized myasthenia gravis, added criteria for patients switching from eculizumab (Soliris®).
Xermelo	Removed criteria requiring trial of short-acting somatostatin analogs and loperamide to align with National Comprehensive Cancer Network (NCCN) and North American Neuroendocrine Society (NANETS) guidelines. Changed requirement of 4+ bowel movements/day to “uncontrolled diarrhea.”
Xifaxan	Removed trial of loperamide for irritable bowel syndrome with diarrhea (IBS-D) to align with guidelines, changed maximum to three courses per rolling 6-month period.

RETIRED POLICIES	
Ketoconazole Tablets	Due to low utilization and is similarly priced to other formulary generic antifungal medications such as fluconazole
Mircera	Added Mircera to Erythropoiesis Stimulating Agents policy
Potassium Lowering Agents	Due low utilization and low risk of inappropriate utilization
Proton Pump Inhibitors Step Therapy Policy	All agents on this policy will be non-formulary and require trial of formulary agents prior to approval
Rukobia, Trogarzo	Due to low utilization and low risk of inappropriate utilization