

Genetic Testing for Hereditary Breast, Ovarian, Pancreatic, and Prostate Cancer

MEDICAL POLICY NUMBER: 143

Effective Date: 10/1/2026	COVERAGE CRITERIA	2
Last Review Date: 9/2026	POLICY CROSS REFERENCES	6
Next Annual Review: 6/2027	POLICY GUIDELINES	6
	CLINICAL EVIDENCE AND LITERATURE REVIEW.....	9
	HEALTH EQUITY CONSIDERATIONS	12
	BILLING GUIDELINES AND CODING	12
	REFERENCES	16
	POLICY REVISION HISTORY	16

INSTRUCTIONS FOR USE: Company Medical Policies serve as guidance for the administration of plan benefits. Medical policies do not constitute medical advice nor a guarantee of coverage. Company Medical Policies are reviewed annually and are based upon published, peer-reviewed scientific evidence and evidence-based clinical practice guidelines that are available as of the last policy update. The Company reserves the right to determine the application of medical policies and make revisions to medical policies at any time. The scope and availability of all plan benefits are determined in accordance with the applicable coverage agreement. Any conflict or variance between the terms of the coverage agreement and Company Medical Policy will be resolved in favor of the coverage agreement. Coverage decisions are made on the basis of individualized determinations of medical necessity and the experimental or investigational character of the treatment in the individual case. In cases where medical necessity is not established by policy for specific treatment modalities, evidence not previously considered regarding the efficacy of the modality that is presented shall be given consideration to determine if the policy represents current standards of care.

SCOPE: Providence Health Plan, Providence Health Assurance, and Providence Plan Partners as applicable (referred to individually as “Company” and collectively as “Companies”).

PLAN PRODUCT AND BENEFIT APPLICATION

☒ Commercial

☐ Medicaid/OHP*

☐ Medicare**

*Medicaid/OHP Members

Notice to Medicaid Policy Readers: For comprehensive rules and guidelines pertaining to this policy, readers are advised to consult the Oregon Health Authority. It is essential to ensure full understanding and compliance with the state's regulations and directives. Please refer to OHA's prioritized list for the following coverage guidelines:

Genetic Testing for Hereditary Breast and Ovarian Cancer: Diagnostic Guideline D25

Oregon: Services requested for Oregon Health Plan (OHP) members follow the OHP Prioritized List and Oregon Administrative Rules (OARs) as the primary resource for coverage determinations. Medical policy criteria below may be applied when there are no criteria available in the OARs and the OHP Prioritized List.

**Medicare Members

This Company policy may be applied to Medicare Plan members only when directed by a separate Medicare policy. Note that investigational services are considered “**not medically necessary**” for Medicare members.

COVERAGE CRITERIA

Note:

- Both maternal and paternal family histories must be considered separately when identifying families with an increased risk of breast and/or ovarian cancer.

Policy Criteria Links

- [Genetic Testing: Family with a Known Breast, Ovarian, Pancreatic, and/or Prostate Cancer Mutation](#)
- [Genetic Testing: Personal History of Cancer](#)
- [Genetic Testing: No Personal History of Cancer](#)
- [Genetic Testing: Non-Covered Testing](#)

Genetic Testing: Family with a Known Breast, Ovarian, Pancreatic Cancer, and/or Prostate Mutation

- I. Genetic testing for a [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation](#) may be considered **medically necessary** when **all** of the following criteria (A-C) are met:
 - A. [Genetic Counseling](#) general criteria have been met; **and**
 - B. The patient is from a family with a known pathogenic/likely pathogenic variant in a

- [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene](#); and
- C. Gene testing is specific to the familial pathogenic/likely pathogenic variant.

Genetic Testing: Personal History of Cancer

- II. Genetic testing for [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) may be considered **medically necessary** when **both** of the following criteria (A. and B.) are met:
- A. [Genetic Counseling](#) general criteria have been met; **and**
- B. Any **one or more** of the following criteria are met (1.-8.):
1. The patient has a personal history of breast cancer (including invasive and ductal carcinoma *in situ*) and any **one or more** of the following criteria are met (a.-d.):
 - a. Diagnosed with breast cancer at age 45 or younger; **or**
 - b. Diagnosed with breast cancer at age 46-50 with **any** of the following (i.-iii.):
 - i. Unknown or limited family history
 - ii. Multiple primary breast cancers (synchronous or metachronous); **or**
 - iii. 1 or more [close blood relative](#) with breast, ovarian, pancreatic, or prostate cancer at any age; **or**
 - c. Diagnosed with breast cancer at age 51 or older with 1 or more [close blood relative](#) with **any** of the following (i.-v.):
 - i. Breast cancer at age 50 years or younger or male breast cancer at any age
 - ii. Ovarian or pancreatic cancer at any age
 - iii. Metastatic, intraductal/ciribiform histology, or high- or very-high risk group prostate cancer at any age
 - iv. 3 or more total diagnoses of breast cancer in patient and/or [close blood relatives](#)
 - v. 2 or more [close blood relatives](#) with either breast or prostate cancer (any grade) at any age, **or**
 - d. Diagnosed with breast cancer **at any age and any one** of the following criteria are met (i.-vi.):
 - i. To aid in systemic treatment decisions using PARP inhibitors for breast cancer in the metastatic setting
 - ii. To aid in adjuvant treatment decisions with olaparib for high-risk, HER-2 negative breast cancer
 - iii. Triple-negative breast cancer
 - iv. Lobular breast cancer with personal or family history of diffuse gastric cancer
 - v. 1 or more [close blood relatives](#) with male breast cancer
 - vi. Ethnicity associated with higher mutation frequency or increased risk of founder mutation (e.g., Ashkenazi Jewish, Norwegian, Dutch, or Icclander descent); **or**
 2. The patient has epithelial or non-epithelial ovarian cancer (including fallopian tube and
- Note:* A limited family history occurs when a 1st, 2nd and 3rd generation pedigree cannot be obtained or when there are too few family members in each generation to reasonably see a pattern of inheritance.

- primary peritoneal cancers and sex-cord tumors with annular tubules, small cell carcinoma of the ovary); **or**
3. The patient has male breast cancer; **or**
 4. The patient has pancreatic cancer; **or**
 5. The patient has metastatic prostate cancer (biopsy-proven and/or with radiologic evidence and includes distant metastases and regional bed or nodes); **or**
 6. The patient has prostate cancer and any of the following:
 - a. Metastatic (Stage IVB) or node-positive (Stage IVA) prostate cancer; **or**
 - b. Very high-risk or high-risk disease (see Guidelines for [risk stratification](#)); **or**
 - c. Ashkenazi Jewish ancestry; **or**
 - d. 1 or more [close blood relative](#) with any of the following (i.-iv.):
 - i. Breast cancer at age 50 or younger; **or**
 - ii. Male breast cancer; **or**
 - iii. Ovarian cancer; **or**
 - iv. Pancreatic cancer; **or**
 - v. Metastatic, node positive, or very high-risk prostate cancer; **or**
 - e. ≥ 3 [close blood relatives](#) with prostate cancer (any grade) and/or breast cancer on the same side of the family including the patient with prostate cancer
 7. The patient has a personal and/or family history of **3 or more** of the following diagnosis (can include multiple primary cancers in the same individual) (a.-s.):
 - a. Breast cancer
 - b. Pancreatic cancer
 - c. Prostate cancer (Gleason score ≥ 7 or metastatic)
 - d. Melanoma
 - e. Sarcoma
 - f. Adrenocortical carcinoma
 - g. Brain tumors
 - h. Leukemia
 - i. Diffuse gastric cancer
 - j. Colon cancer
 - k. Endometrial cancer
 - l. Thyroid cancer
 - m. Kidney cancer
 - n. [Dermatological manifestations](#) of Cowden syndrome
 - o. Macrocephaly
 - p. Gastrointestinal cancer or hamartomatous polyps of GI tract
 - q. Ovarian sex chord tumors
 - r. Testicular sertoli cell tumors
 - s. [Childhood skin pigmentation](#) indicative of Peutz-Jeghers syndrome; **or**
 8. A known pathogenic/likely pathogenic variant in a [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene](#) detected by tumor profiling on any tumor type in the absence of germline variant analysis.

Genetic Testing: No Personal History of Cancer

- III. Genetic testing for [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) may be considered **medically necessary** when the [Genetic Counseling](#) general

criteria have been met **and** any one or more of the following criteria (A or B) are met:

- A. The patient has a first- or second- degree blood relative who meets criterion II.B. above; **or**
- B. The patient has a first- or second- degree blood relative with at least two [close blood relatives](#) with breast cancer primaries on the same side of the family with at least one diagnosed at age 50 or younger.

Notes:

- Criterion III. may apply to an affected third-degree relative if related through two male relatives (e.g., paternal grandfather's mother or sister).
- When possible, family members with cancer associated with inherited breast, ovarian, pancreatic, and/or prostate cancer should be tested first, prior to testing unaffected members. Documentation that testing an unaffected member has significant limitations on interpreting test results. Pre-test counseling notes should document the reason why none of these members can be tested prior to testing an unaffected member.

Genetic Testing: Non-covered Testing

- IV. Initial or repeat genetic testing for [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) is considered **not medically necessary** when any of the criteria (I.-III.) above are not met.
- V. Repeat genetic testing of the same [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) is considered **not medically necessary**.
- VI. Genetic testing for [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) is considered **not medically necessary** in patients who have received an allogeneic bone marrow transplant if only blood or buccal samples are available. Fibroblast culture is the only acceptable source of DNA for these patients.

Note: Per the NCCN, testing from blood and buccal sources may be unreliable due to donor-derived DNA.¹

- VII. Genetic panels which include additional genes not identified as [hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation\(s\)](#) are considered **not medically necessary** as a method of cancer risk assessment. (For genetic testing of somatic, rather than hereditary, cancer genes, see the Medical Policy, "[Next Generation Sequencing for Cancer \(Company\)](#)")." Examples of panels considered not medically necessary include, but are not limited to, the following (A.-H.):

- A. +RNAinsight for BreastNext (Ambry Genetics)
- B. +RNAinsight for OvaNext (Ambry Genetics)
- C. Breast/Gyn Cancer (GeneDx)
- D. BreastNext (Sema4/Ambry Genetics)
- E. CancerNext (Ambry Genetics)
- F. CancerNext- Expanded (Ambry Genetics)
- G. myRisk Hereditary Cancer (Myriad Genetics)

- H. OncoAlly Comprehensive Hereditary Cancer Analysis (Variantyx)
- I. OvaNext (Sema4/Ambry Genetics)
- J. Riskguard (Exact Sciences)
- K. VistaSeq Breast Cancer Panel (Labcorp)
- L. VistaSeq Breast and Gyn Panel (Labcorp)
- M. VistaSeq Hereditary Cancer Panel (Labcorp)
- N. Invitae Multi-Cancer Panel
- O. Invitae Common Hereditary Cancer Panel

Link to [Evidence Summary](#)

POLICY CROSS REFERENCES

- [Genetic Counseling](#), MP316
- [Non-Covered Genetic Panel Tests](#), MP213
- [Circulating Tumor Cell and DNA Assays for Cancer Management](#), MP122
- [Next Generation Sequencing for Cancer](#), MP352

The full Company portfolio of current Medical Policies is available online and can be [accessed here](#).

POLICY GUIDELINES

Hereditary Breast, Ovarian and/or Pancreatic Cancer Gene Mutations

The following genes are associated with an increased risk of breast, ovarian and/or pancreatic cancer (not all inclusive):¹

ATM	BRIP1	MLH1	NF1	RAD51C
BARD1	CDH1	MSH2	PALB2	RAD51D
BRCA1	CHEK2	MSH6	PMS2	STK11
BRCA2	EPCAM	NBN	PTEN	TP53
CDKN2A*				

*Pancreatic cancer testing only.

Note: BART testing for large rearrangements (e.g., large deletions and/or duplications) may be included and is covered as a component of BRCA 1 and/or 2 testing when medical necessity criteria are met.

DOCUMENTATION REQUIREMENTS

In order to determine the clinical utility of a genetic test, the following documentation must be provided at the time of the request. Failure to submit complete documentation may affect the outcome of the review.

- Specific gene, trade or proprietary name of the test, or if a custom-built test, include every gene(s) and/or component of the test
- Name of laboratory where the testing is being conducted or was conducted
- Clinical notes to include the following:

- Documentation of genetic counseling as required in the [Genetic Counseling policy](#) which includes how test results will impact clinical decision making
- If relevant, pre-test counseling notes should document the reason why an affected family member cannot be tested prior to testing an unaffected member
- Reason (indication) for performing test, including the suspected condition
- Existing signs and/or symptoms related to reason for current test request
- Prior test/laboratory results related to reason for current test request
- Family history, if applicable
- How results from current test request will impact clinical decision making
- All relevant CPT/HCPCS codes billed

DEFINITIONS

Genetic Panel Testing

The clinical utility of testing has been established for all of the genes listed above. Therefore, when medical necessity criteria are met, genetic panel testing for hereditary breast, ovarian, pancreatic, and prostate cancer risk may include one or more of **any combination** of the genes listed in this section above. For example, genetic panels, such as the INVITAE Hereditary Breast and Ovarian Cancer Syndrome Panel, which only include select genes from the list above, may be considered medically necessary when criteria are met.

Close Blood Relatives

The National Comprehensive Cancer Network (NCCN) defines close blood relative as first- (parents, siblings and children), second- (grandparents, aunts, uncles, nieces and nephews, grandchildren and half-siblings), and third degree-relatives (great-grandparents, great-aunts, great uncles, great grandchildren and first cousins) on same side of family.¹

Dermatological manifestations

For a complete list of dermatological manifestations of Cowden syndrome, please see the current NCCN guidelines on "[Genetic/Familial High-Risk Assessment: Breast and Ovarian](#)."¹

Childhood Skin Pigmentation Indications

For a complete list of childhood skin pigmentation indicative of Peutz-Jeghers syndrome, please see the current NCCN guidelines on "[Genetic/Familial High-Risk Assessment: Colorectal](#)."²

Initial Risk Stratification and staging workup for clinically localized prostate cancer, NCCN Guidelines

Risk Group	Clinical/Pathologic Features (Staging, ST-1)		
Very low ^h	Has all of the following: • cT1c • Grade Group 1 • PSA <10 ng/mL • <3 prostate biopsy fragments/cores positive, ≤50% cancer in each fragment/core ^j • PSA density <0.15 ng/mL/g		
Low ^h	Has all of the following but does not qualify for very low risk: • cT1–cT2a • Grade Group 1 • PSA <10 ng/mL		
Intermediate ^h	Has all of the following: • No high-risk group features • No very-high-risk group features • Has one or more intermediate risk factors (IRFs): ▶ cT2b–cT2c ▶ Grade Group 2 or 3 ▶ PSA 10–20 ng/mL	Favorable intermediate	Has all of the following: • 1 IRF • Grade Group 1 or 2 • <50% biopsy cores positive (eg, <6 of 12 cores) ^j
		Unfavorable intermediate	Has one or more of the following: • 2 or 3 IRFs • Grade Group 3 • ≥50% biopsy cores positive (eg, ≥ 6 of 12 cores) ^j
High	Has one or more high-risk features, but does not meet criteria for very high risk: • cT3–cT4 • Grade Group 4 or Grade Group 5 • PSA >20 ng/mL		
Very high	Has at least two of the following: • cT3–cT4 • Grade Group 4 or 5 • PSA >40 ng/mL		

BACKGROUND

Clinical Utility of Genetic Testing

Establishing the clinical utility of any test is a key component in determining its ultimate usefulness. Clinical utility may be established when published evidence demonstrates test results can be used to:

1. Guide treatment, management, or preventive decisions; and
2. Those decisions lead to improved primary health outcomes.

Genetic Panel Testing

Numerous genetic panels are available which test for various combinations of genes associated with hereditary breast, ovarian, pancreatic, and/or prostate cancer. Some well-designed genetic panel tests include only the genes which have demonstrated clinical utility and high penetrance. However, other panel tests include a broader range of genes for which penetrance levels are intermediate and low and

the clinical utility of testing is not yet established. It is not recommended that patients undergo testing for gene mutations with unknown clinical significance as test results may lead to unnecessary interventions and additional testing which is not supported by current evidence or practice standards. Therefore, the clinical utility of each gene included in the panel must be demonstrated in order to establish the medical necessity of the panel test.

CLINICAL EVIDENCE AND LITERATURE REVIEW

EVIDENCE REVIEW

A review of the ECRI, Hayes, Cochrane, and PubMed databases was conducted regarding the use of genetic testing for hereditary breast, ovarian, pancreatic, and prostate cancer. Below is a summary of the available evidence identified through March 2026.

Genetic Testing: Personal History of Cancer

In 2016 (archived 2022), Hayes conducted a systematic review evaluating the clinical utility of genetic testing for hereditary breast and ovarian cancer (HBOC) in patients with a personal history and a suggestive family history of cancer.³ In total, 1159 abstracts were examined, 289 studies were identified for further review, and 24 studies were included for detailed review. Sample size ranged from 26 to 9,982. Genetic tests for *BRCA1*, *BRCA2*, or other genes associated with HBOC syndromes were used as index tests, with comparison to *BRCA* ½ status and HBOC status. Outcomes of interest included diagnostic yield, survival, disease progression, uptake of counseling, testing, surveillance/screening methods, and impact on family members.

Overall, studies indicated that genetic testing of an affected individual is clinically useful, capable of leading to changes in patient management, diagnostic thinking about the hereditary cancer syndrome diagnosis and in the clinical management of at-risk relatives. Genetic testing was also found to inform prognosis and/or predict response to treatment for patients with HBOC. The overall quality of evidence was determined to be “moderate”, comprising 11 “very poor- to poor-quality” studies and 13 “fair quality” studies. Limitations included studies’ retrospective design, small sample sizes, statistical weaknesses, and failure to adjust for potential confounders in analyses.

Hayes ultimately assigned an “A” rating (established benefit) for genetic testing of germline variants in patients with a personal history of breast and/or ovarian cancer and a family history suggestive of HBOC. Investigators noted testing’s ability to reduce subsequent cancer risk through surveillance and risk-reducing procedures, identify variants associated with treatment response, identify at-risk family members, and “balanc[e] this with current limitations such as incomplete scientific understanding of pathogenic variants in specific patient populations.”³

Genetic Testing: No Personal History of Cancer

In 2016 (archived 2022), Hayes conducted a systematic review evaluating the clinical utility of genetic testing for hereditary breast and ovarian cancer (HBOC) in patients with no personal history and a suggestive family history of cancer.⁴ In total, 11 studies were included for detailed review. Sample size ranged from 26 to 2,509 unaffected/asymptomatic individuals with a family history suspected of, or confirmed to be at risk for HBOC. Genetic tests for *BRCA1*, *BRCA2*, other genes associated with

hereditary cancer syndromes were employed as index tests; *BRCA1/2* status, HBOC status, study setting, insurance status were used as comparators. Outcomes of interest included the incidence of pathogenic variant(s); recommendation for and uptake of counseling/testing. Screening, prophylactic procedures and psychological impact.

Overall, studies indicated that genetic testing of an unaffected individual can lead to a change in patient management, informing clinical management strategies (e.g., surveillance strategies, prophylactic measures) that would otherwise have been missed by testing only 1 or 2 genes (e.g., *BRCA1/2*). Testing also conferred eligibility for prophylactic procedures, and was informative for family members, who subsequently became eligible for genetic counseling/testing, increased disease surveillance, and/or prophylactic procedures. The overall quality of evidence was determined to be “moderate,” with study quality ranging from “poor” to “fair.” Limitations included studies’ retrospective design, small sample size, survival bias, and insufficient reporting of methods, statistical analysis and results. Despite limitations, Hayes ultimately assigned a “B” rating (some proven benefit) for genetic testing of patients who are unaffected/asymptomatic with a family history of HBOC syndrome.

Genetic Testing: Non-Covered Testing

In 2016 (archived 2020), Hayes conducted a systematic review evaluating the evidence base of the myRisk Hereditary Cancer (Myriad) genetic test.⁵ The panel examines 25 genes using next-generation sequencing (NGS) technology combined with patient clinical factors to assess cancer risk. In total, 3 studies were included for review – 1 analytical validity study and 2 studies that assess the 25-gene panel. No evidence basis was identified supporting the use of the myRisk test due to a lack of evidence. Hayes assigned a “D2” rating (insufficient evidence) for the myRisk Hereditary Cancer test due to a lack of research reporting improvements in patient care, and/or informing patients of familial elevated risk for cancer. Investigators called for additional studies assessing analytical and clinical validity and clinical utility to demonstrate the test’s benefit.

CLINICAL PRACTICE GUIDELINES

The medical necessity criteria within this policy are primarily supported and guided by the National Comprehensive Cancer Network Genetic/Familial High-Risk Assessment: Breast, Ovarian, Pancreatic, and prostate cancer clinical practice guidelines.¹

National Comprehensive Cancer Network (NCCN)

The Version 3.2025 NCCN guidelines regarding hereditary assessment for breast, ovarian, pancreatic, and prostate cancer recommend cancer risk management based on genetic test results from the following genes:¹

- | | | | |
|---------|-----------|----------|----------|
| • ATM | • CDKN2A* | • EPCAM | • RAD51D |
| • BARD1 | • CHEK2 | • NBN | • STK11 |
| • BRCA1 | • MSH2 | • NF1 | • TP53 |
| • BRCA2 | • MLH1 | • PALB2 | |
| • BRIP1 | • MSH6 | • PTEN | |
| • CDH1 | • PMS2 | • RAD51C | |

**Pancreatic cancer only*

For patients with known familial pathogenic/likely pathogenic variant(s), NCCN recommends testing for the specific familial pathogenic/likely pathogenic variant(s).¹

The American College of Obstetricians and Gynecologists (ACOG)

In 2018 (and reaffirmed in 2023) the ACOG issued a practice bulletin with recommendations for the management of hereditary breast and ovarian cancer syndrome.⁶ The following recommendation were made on the basis of “good and consistent scientific evidence”:

- Genetic counseling is recommended for all women with ovarian epithelial cancer (this includes fallopian tube cancer or primary peritoneal cancer) and for individuals who have a personal or family history of breast cancer or ovarian cancer.
- Women with *BRCA* mutations or who carry another actionable deleterious mutation that is predisposing to breast cancer should be offered risk-reducing bilateral mastectomy.
- Women with *BRCA* mutations or who carry another actionable deleterious mutation predisposing to ovarian cancer should be offered risk-reducing bilateral salpingo-oophorectomy. The timing of risk-reducing bilateral salpingo-oophorectomy can be individualized based on the particular genetic mutation, the patient’s desires for future childbearing, and family history. Typically, risk-reducing salpingo-oophorectomy is recommended at age 35–40 years for *BRCA1* carriers with the highest lifetime risk of ovarian cancer, whereas women with *BRCA2* may consider delaying until age 40–45 years because of later onset of ovarian cancer.
- For a risk-reducing bilateral salpingo-oophorectomy, all tissue from the ovaries and fallopian tubes should be removed. Thorough visualization of the peritoneal surfaces with pelvic washings should be performed. Complete, serial sectioning of the ovaries and fallopian tubes is necessary, with microscopic examination for occult cancer.

In 2017, the ACOG issued a position statement opposing requirements that genetic counseling be provided solely by a “certified” genetic counselor before genetic testing is ordered.⁷ Authors affirmed that obstetrician-gynecologists are fully trained and qualified to counsel patients regarding genetic issues, and argued that such restrictions would impose unnecessary barriers to care.

EVIDENCE SUMMARY

Evidence is sufficient to support the use of genetic testing for hereditary breast, ovarian, pancreatic, and/or prostate cancer among patients with a known cancer mutation, and patients with and without a personal history of cancer. Studies continue to indicate that genetic testing of these populations can lead to a change in patient management, informing clinical management strategies (e.g., surveillance strategies, prophylactic measures) that would otherwise have been missed by testing only 1 or 2 genes (e.g., *BRCA1/2*). Testing also conferred eligibility for prophylactic procedures and was informative for family members who subsequently became eligible for genetic counseling/testing, increased disease surveillance, and/or prophylactic procedures. In addition, recent evidence-based clinical practice

guidelines from the National Comprehensive Cancer Network and the American College of Obstetricians and Gynecology continue to support genetic testing for appropriate patients.

Evidence does not support genetic panel testing that include additional genes not identified as hereditary breast, ovarian, pancreatic, and/or prostate cancer gene mutation(s) as a method of cancer risk assessment. Additional studies assessing analytical and clinical validity and clinical utility to demonstrate these tests' benefit are needed.

HEALTH EQUITY CONSIDERATIONS

The Centers for Disease Control and Prevention (CDC) defines health equity as the state in which everyone has a fair and just opportunity to attain their highest level of health. Achieving health equity requires addressing health disparities and social determinants of health. A health disparity is the occurrence of diseases at greater levels among certain population groups more than among others. Health disparities are linked to social determinants of health which are non-medical factors that influence health outcomes such as the conditions in which people are born, grow, work, live, age, and the wider set of forces and systems shaping the conditions of daily life. Social determinants of health include unequal access to health care, lack of education, poverty, stigma, and racism.

The U.S. Department of Health and Human Services Office of Minority Health calls out unique areas where health disparities are noted based on race and ethnicity. Providence Health Plan (PHP) regularly reviews these areas of opportunity to see if any changes can be made to our medical or pharmacy policies to support our members obtaining their highest level of health. Upon review, PHP creates a Coverage Recommendation (CORE) form detailing which groups are impacted by the disparity, the research surrounding the disparity, and recommendations from professional organizations. PHP Health Equity COREs are updated regularly and can be found online [here](#).

BILLING GUIDELINES AND CODING

BART testing for large rearrangements (e.g., large deletions and/or duplications), billed with 81164 OR 81166 and/or 81167, may be denied as not covered when the medical necessity for hereditary breast ovarian, pancreatic, and/or prostate cancer testing (above) is not met.

When no specific CPT or HCPCS code exists for the panel, the provider is required to bill using an unlisted code. It is not appropriate for the provider to bill any of the tests in a panel separately as if they were performed individually. This is a misrepresentation of services performed and is not appropriate based on either CPT or CMS guidelines. In a "Healthcare Fraud Prevention Partnership" white paper published in May 2018, CMS identified unbundling of lab panels as an example of fraudulent billing.

CODES*		
CPT	0102U	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing a combination of NGS, Sanger, MLPA, and array CGH, with

		mRNA analytics to resolve variants of unknown significance when indicated (17 genes [sequencing and deletion/duplication])
	0103U	Hereditary ovarian cancer (eg, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing a combination of NGS, Sanger, MLPA, and array CGH, with mRNA analytics to resolve variants of unknown significance when indicated (24 genes [sequencing and deletion/duplication], EPCAM [deletion/duplication only])
	0129U	Hereditary breast cancer–related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis and deletion/duplication analysis panel (ATM, BRCA1, BRCA2, CDH1, CHEK2, PALB2, PTEN, and TP53)
	0131U	TERMED 12/31/2025 Hereditary breast cancer–related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA sequence analysis panel (13 genes) (List separately in addition to code for primary procedure)
	0132U	TERMED 12/31/2025 Hereditary ovarian cancer–related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA sequence analysis panel (17 genes) (List separately in addition to code for primary procedure)
	0137U	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) mRNA sequence analysis (List separately in addition to code for primary procedure)
	0138U	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) mRNA sequence analysis (List separately in addition to code for primary procedure)
	0155U	PIK3CA (phosphatidylinositol-hyphen4,5-hyphenbisphosphate 3-hyphenkinase, catalytic subunit alpha) (eg, breast cancer) gene analysis (ie, p.C420R, p.E542K, p.E545A, p.E545D [g.1635G>T only], p.E545G, p.E545K, p.Q546E, p.Q546R, p.H1047L, p.H1047R, p.H1047Y) <i>*For the Therascreen PIK3CA test by QIAGEN Sciences using blood plasma [0177U], see the Company medical policy for Circulating Tumor Cell and DNA Assays for Cancer Management (Company)</i>
	0238U	Oncology (Lynch syndrome), genomic DNA sequence analysis of MLH1, MSH2, MSH6, PMS2, and EPCAM, including small sequence changes in exonic and intronic regions, deletions, duplications, mobile element insertions, and variants in non-uniquely mappable regions
	0651U	Oncology (hereditary cancer), genomic DNA, 55 hereditary cancer pre-dispositioned genes, next-generation sequencing (NGS) and digital multiplex ligation-dependent probe amplification for variants, small indels (<40 base pairs), using saliva, whole blood or nail clipping, interpretive clinical report with variant classification
	0678U	Oncology (hereditary cancer), genome sequence for 117 genes (single-nucleotide variants, deletions/insertions, and characterized intronic variants), copy number variants, duplications/deletions, mobile element insertions and inversions, blood,

		saliva, cultured skin fibroblasts (skin biopsy) or extracted genomic DNA, diagnostic, identification and categorization of genetic variants
	81162	BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis
	81163	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
	81164	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
	81165	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
	81166	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
	81167	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
	81212	BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants
	81215	BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
	81216	BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
	81217	BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
	81288	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; promoter methylation analysis
	81292	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
	81293	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
	81294	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
	81295	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
	81296	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
	81297	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
	81298	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis

	81299	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
	81300	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
	81307	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; full gene sequence
	81308	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; known familial variant
	81321	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis
	81322	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant
	81323	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; duplication/deletion variant
	81404	Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis)
	81405	Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis)
	81406	Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia)
	81432	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer, hereditary pancreatic cancer, hereditary prostate cancer), genomic sequence analysis panel, 5 or more genes, interrogation for sequence variants and copy number variants
	81445	Solid organ neoplasm, genomic sequence analysis panel, 5-50 genes, interrogation for sequence variants and copy number variants or rearrangements, if performed; DNA analysis or combined DNA and RNA analysis
	81455	Solid organ or hematolymphoid neoplasm or disorder, 51 or greater genes, genomic sequence analysis panel, interrogation for sequence variants and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed; DNA analysis or combined DNA and RNA analysis
	81479	Unlisted molecular pathology procedure
HCPCS	None	

***Coding Notes:**

- The above code list is provided as a courtesy and may not be all-inclusive. Inclusion or omission of a code from this policy neither implies nor guarantees reimbursement or coverage. Some codes may not require routine review for medical necessity, but they are subject to provider contracts, as well as member benefits, eligibility and potential utilization audit.
- All unlisted codes are reviewed for medical necessity, correct coding, and pricing at the claim level. If an unlisted code is submitted for non-covered services addressed in this policy then it will be **denied as not covered**. If an unlisted code is submitted for potentially covered services addressed in this policy, to avoid post-service denial, **prior authorization is recommended**.
- See the non-covered and prior authorization lists on the Company [Medical Policy, Reimbursement Policy, Pharmacy Policy and Provider Information website](#) for additional information.

- HCPCS/CPT code(s) may be subject to National Correct Coding Initiative (NCCI) procedure-to-procedure (PTP) bundling edits and daily maximum edits known as “medically unlikely edits” (MUEs) published by the Centers for Medicare and Medicaid Services (CMS). This policy does not take precedence over NCCI edits or MUEs. Please refer to the CMS website for coding guidelines and applicable code combinations.

REFERENCES

1. National Comprehensive Cancer Network. Genetic/Familial High-Risk Assessment: Breast, Ovarian, Pancreatic, and Prostate. Version 3.2025. March 6, 2025. https://www.nccn.org/professionals/physician_gls/pdf/genetics_bop.pdf. Accessed 3/17/2025.
2. National Comprehensive Cancer Network. Genetic/Familial High-Risk Assessment: Colorectal. Version 2.2023. October 30, 2023. https://www.nccn.org/professionals/physician_gls/pdf/genetics_colon.pdf. Accessed 3/25/2024.
3. Hayes Inc. The Clinical Utility Of Genetic Testing For Hereditary Breast And Ovarian Cancer In Patients With A Personal History Of Breast And/Or Ovarian Cancer And A Suggestive Family History. Published 12/22/2016. Archived Jan 21, 2022. <https://evidence.hayesinc.com/report/gti.hereditarybrovca3555>. Accessed 3/17/2025.
4. Hayes Inc. The Clinical Utility Of Genetic Testing For Hereditary Breast And Ovarian Cancer In Patients With No Personal History Of Cancer And A Suggestive Family History. Published 12/1/2016. Archived Jan 15, 2022. <https://evidence.hayesinc.com/report/gti.hboc3691>. Accessed 3/17/2025.
5. Hayes Inc. MyRisk Hereditary Cancer (Myriad). Published 2/18/2016. Archived 1/20/2020. <https://evidence.hayesinc.com/report/gte.myrisk3036>. Accessed 3/17/2025.
6. American College of Obstetricians and Gynecologists (ACOG). Practice Bulletin No 182: Hereditary Breast and Ovarian Cancer Syndrome. *Obstet Gynecol.* 2017;130(3):e110-e126.
7. American College of Obstetricians and Gynecologists (ACOG) RM. Access to Genetic Testing: Position Statement. <https://www.acog.org/clinical-information/policy-and-position-statements/position-statements/2018/access-to-genetic-testing>. Published 2023. Accessed 3/17/2025.

POLICY REVISION HISTORY

DATE	REVISION SUMMARY
2/2023	Annual review, no changes. Converted to new policy template.
3/2023	Interim update. Denials for non-covered testing changed from “investigational” to “not medically necessary.”
7/2023	Annual Review. Added BARD1 to genes associated with breast cancer. Added +RNAinsight for BreastNext and +RNAinsight for OvaNext by Ambry Genetics to noncovered panels.
10/2023	Interim Update. Code moved to policy. No configuration changes.
1/2024	Q1 2024 code set update.
7/2024	Annual review. Title change. Added criterion V. to deny repeat testing.
8/2024	Interim update. Broaden policy scope to address hereditary pancreatic cancer.
1/2025	Q1 2025 code set update.
9/2025	Annual update. Broaden scope of policy to address hereditary prostate cancer.

1/2026	Q1 2026 code set update.
7/2026	Annual update. Added clarifying language to criterion II.B.2. Added example of not medically necessary genetic panel.
10/2026	Q4 2026 code set update.