Medical Policy

Organ Transplantation

MEDICAL POLICY NUMBER: 159

Effective Date: 2/1/2024	COVERAGE CRITERIA	2
Last Review Date: 7/2023	POLICY CROSS REFERENCES	6
Next Annual Review: 1/2025	POLICY GUIDELINES	6
·	BILLING GUIDELINES AND CODING	7
	REFERENCES	10
	POLICY REVISION HISTORY	10

INSTRUCTIONS FOR USE: Company Medical Policies serve as guidance for the administration of plan benefits. Medical policies do not constitute medical advice nor a guarantee of coverage. Company Medical Policies are reviewed annually and are based upon published, peer-reviewed scientific evidence and evidence-based clinical practice guidelines that are available as of the last policy update. The Company reserves the right to determine the application of medical policies and make revisions to medical policies at any time. The scope and availability of all plan benefits are determined in accordance with the applicable coverage agreement. Any conflict or variance between the terms of the coverage agreement and Company Medical Policy will be resolved in favor of the coverage agreement. Coverage decisions are made on the basis of individualized determinations of medical necessity and the experimental or investigational character of the treatment in the individual case. In cases where medical necessity is not established by policy for specific treatment modalities, evidence not previously considered regarding the efficacy of the modality that is presented shall be given consideration to determine if the policy represents current standards of care.

SCOPE: Providence Health Plan, Providence Health Assurance, and Providence Plan Partners as applicable (referred to individually as "Company" and collectively as "Companies").

PLAN PRODUCT AND BENEFIT APPLICATION

⊠ Commercial	☐ Medicaid/OHP*	☐ Medicare*
*Medicaid/OHP MembersNotice to	o Medicaid Policy Readers: For compreh	ensive rules and guidelines
pertaining to this policy, readers a	re advised to consult the Oregon Health	Authority. It is essential to
ensure full understanding and com	pliance with the state's regulations and	directives. Please refer to
DHA's prioritized list for the follow	ving coverage guidelines:	
Solid Organ Transplants: Lines 83,9	99,162,239,240,241,263,264,307,310,56	3

**Medicare Members

This <u>Company</u> policy may be applied to Medicare Plan members only when directed by a separate <u>Medicare</u> policy. Note that investigational services are considered "not medically necessary" for Medicare members.

COVERAGE CRITERIA

The following organ transplants are addressed in this policy: (see below for organ-specific medical necessity criteria)

- Heart transplantation
- Heart/lung transplantation
- Single/double lung transplantation
- Liver transplantation
- Kidney transplantation
- Simultaneous pancreas and kidney transplantation/Pancreas after kidney transplants
- Intestinal transplantation (alone, combined liver-intestinal, and multivesicular [stomach,
- duodenum, pancreas, liver, and intestine])
- Corneal transplantation

General Transplant Candidacy Criteria

- I. Organ transplantation may be considered **medically necessary** when the following criteria are met (A.-D.):
 - A. Member meets at least one of the following (1. or 2.) criteria:
 - 1. BMI of lesser or equal to 35.0 or
 - 2. BMI between 35.1 and 39.9 may be considered on an individual basis if:
 - a. The member's condition is eminently life threatening without transplant; or
 - b. No other health conditions other than their end-stage organ disease and no cardiac risk factors including:
 - i. high cholesterol; or

- ii. elevated triglycerides; or
- iii. hypertension, type 2 diabetes; or
- iv. other factors revealed in cardiac testing; and
- B. Member meets at least one of the following (1. or 2.) criteria:
 - 1. Is a non-smoker; or
 - Current and/or recent smokers (i.e. within the past year) (see <u>Policy Guidelines</u> for definition of smoker) have ceased smoking for at least 4 weeks prior to transplant and are willing to refrain from smoking after surgery for 3 months. (<u>Note</u>: To ensure compliance, laboratory testing will be required at Medical Director discretion); and
- C. If applicable, documentation of treatment and/or abstinence from alcohol or substance use for a minimum of six (6) months. Evaluation for transplant may begin if member is actively participating in a treatment program; and
- D. Organ transplantation must be performed at an approved transplant facility (see <u>Policy</u> <u>Guidelines</u> for approved transplant facilities).
- II. Organ transplantation is considered **not medically necessary** when criterion I.(A.-D.) is not met.

Organ Specific Criteria

Heart Transplant

- III. Heart transplant may be considered **medically necessary** in members with end-stage myocardial failure (NYHA Class 4 failures or rapidly progressive [over months] NYHA Class III) who meet **all** of the following criteria (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Failed medical management; and
 - C. Have no other end-stage disease or severe disease process that would compromise the success of the heart transplant.

Heart/Lung Transplant

- IV. A heart/lung transplant may be **medically necessary** when **all** the following criteria are met (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Member has end-stage pulmonary and pulmonary vascular disease with associated heart failure; and
 - C. No other form of medical/surgical therapy offers the prospect of extended survival. Examples of end-stage conditions may include, but are not limited to:
 - 1. Primary pulmonary hypertension; or
 - 2. Eisenmenger's Syndrome (ASD, VAS, PA, TRUNCUS, other complex anomalies); or
 - 3. Pulmonary hypertension secondary to thromboembolic disease; or
 - 4. Cardiomyopathy with pulmonary hypertension; or
 - 5. Congenital abnormalities such as univentricular heart with pulmonary atresia; or
 - 6. Cystic fibrosis with severe irreversible end-stage pulmonary disease.

Single/Double Lung Transplant

- V. A single or double lung transplant may be **medically necessary** when **all** of the following criteria are met (A.-D.):
 - A. Criteria I.A.-D. above is met; and
 - B. Poor prognosis is expected without a transplant as a result of insufficient pulmonary functional status; **and**
 - C. All alternative, medically accepted treatments, comparable to transplant, have been tried and/or considered; **and**
 - D. For pediatric patients, requests for transplant services for pediatric members suffering from early cardio-pulmonary disease may be approved before attempting alternative treatments if medical evidence suggests an early date of transplant is likely to improve outcome. Examples may include, but are not limited to the following:
 - 1. Fibrotic lung disease; or
 - 2. Pulmonary hypertension with reversible RV function; or
 - 3. Alpha 1-Antitrypsin deficiency; or
 - 4. Emphysema; or
 - 5. Cystic Fibrosis; or
 - 6. Interstitial pulmonary disease; or
 - 7. Idiopathic pulmonary hypertension.

Liver Transplant

- VI. Liver transplantation may be **medically necessary** when **all** of the following criteria are met (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Member has end-stage irreversible liver disease; and
 - C. No medical or surgical alternatives to transplantation are available. Examples may include but are not limited to:
 - 1. Primary biliary cirrhosis; or
 - 2. Alcohol-associated cirrhosis without acute alcohol-associated hepatitis (documentation of successful treatment and/or substance use for a minimum of six (6) months) and agreement for ongoing random drug screens; **or**
 - 3. Post-hepatic cirrhosis, hepatitis B surface antigen negative; or
 - 4. Primary sclerosing cholangitis; or
 - 5. Hepatocellular carcinoma (HCC) when Milan Criteria is met. Milan Criteria = solitary tumor ≤ 5 cm or ≤ 3 lesions none > 3 cm; or
 - 6. Biliary atresia.

Kidney Transplant

VII. Kidney transplantation may be **medically necessary** when **all** of the following criteria are met (A.-C.):

- A. Criteria I.A.-D. above is met; and
- B. Member has documented end-stage renal disease; and
- C. For patients not yet on dialysis, glomerular filtration rate must be <20, consistent with UNOS listing criteria.

Simultaneous Pancreas and Kidney Transplantation and Pancreas after Kidney Transplant (PAK)

- VIII. Simultaneous pancreas and kidney transplantation and pancreas after kidney transplant (PAK) may **be medically necessary** when **all** the following criteria are met (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Member has insulin-dependent diabetes (confirmed through c-peptide test); and
 - C. Member has end-stage renal failure or non-uremic renal dysfunction.

Intestinal Transplant

- IX. An intestinal transplant may be **medically necessary** when **all** of the following criteria are met (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Member has failed total parenteral nutrition (TPN) due to liver failure, thrombosis, or frequency of infection and dehydration; **and**
 - C. **At least one** of the following (1.-4.) clinical situations is met:
 - 1. Impending or overt liver failure due to TPN induced liver injury; or
 - 2. Thrombosis of the major central venous channels; jugular, subclavian, and femoral veins; **or**
 - 3. Frequent episodes (two or more) of line infection and sepsis; or
 - 4. Frequent episodes of severe dehydration despite intravenous fluid supplement in addition to TPN.

Corneal Transplant

- X. Corneal transplant may be **medically necessary** for when **all** of the following criteria are met (A.-C.):
 - A. Criteria I.A.-D. above is met; and
 - B. Member has an indication which obstructs vision, including but not limited to external eye diseases which causes damage to the cornea such as:
 - 1. Trauma; or
 - 2. Infection; or
 - 3. Scarring; and
 - C. There is no other vision problem or disease process within the eye that would prevent a successful transplantation

Link to Evidence Summary

POLICY CROSS REFERENCES

None

The full Company portfolio of current Medical Policies is available online and can be accessed here.

POLICY GUIDELINES

Approved Transplant Facilities

- Center of Excellence (COE)/Blue Distinction Center for Transplants (BDCT);
- A Providence Health Plan (PHP) approved facility (PHP has negotiated a contract, either directly
 or through a participating transplant network)

Definition of smoker: Includes smoking cigarettes, cigars, and pipe smoking of tobacco.

DOCUMENTATION REQUIREMENTS

In order to determine the medical necessity of the request, the following documentation must be provided at the time of the request. Medical records to include documentation of all of the following:

- All medical records and chart notes pertinent to the request. This includes:
 - History
 - Physical examination
 - o Treatment plan
 - Psychosocial history
 - Diagnostic testing
 - Documentation of treatment and/or abstinence from alcohol or substance use for a minimum of six (6) months

Note: The Plan may request an additional medical assessment as well as a conference session with the patient and family to discuss benefits and psycho-social support systems available to maintain life-long post-transplant care.

BACKGROUND

Transplantation

Transplantation is the grafting of living tissue from a part of one individual, the donor, to another individual, the recipient. The tissue or organ to be transplanted may be obtained from a living or non-living donor.¹

Organ Procurement

Organ procurement for transplantation is defined as those medical services necessary for the removal, preservation, transportation, and storage of an organ, marrow, or stem cells. Organ acquisition charges are considered part of organ procurement.²

BILLING GUIDELINES AND CODING

HCPCS codes S2053, S2054, S2055, and S2152 are not recognized as a valid code for claim submission as indicated in the relevant Company Coding Policy (*HCPCS S-Codes and H-Codes*, 22.0). Providers need to use alternate available CPT or HCPCS codes to report for this service. If no specific CPT or HCPCS code is available, then an unlisted code may be used. Note that unlisted codes are reviewed for medical necessity, correct coding, and pricing at the claim level. Thus, if an unlisted code is billed related to a non-covered service addressed in this policy, it will be denied as not covered.

CODES	*	
СРТ	0494T	Surgical preparation and cannulation of marginal (extended) cadaver donor lung(s) to ex vivo organ perfusion system, including decannulation, separation from the perfusion system, and cold preservation of the allograft prior to implantation, when performed
	0495T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; first two hours in sterile field
	0496T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; each additional hour (List separately in addition to code for primary procedure)
	32850	Donor pneumonectomy(s) (including cold preservation), from cadaver donor
	32851	Lung transplant, single; without cardiopulmonary bypass
	32852	Lung transplant, single; with cardiopulmonary bypass
	32853	Lung transplant, double (bilateral sequential or en bloc); without cardiopulmonary bypass
	32854	Lung transplant, double (bilateral sequential or en bloc); with cardiopulmonary bypass
	32855	Backbench standard preparation of cadaver donor lung allograft prior to transplantation, including dissection of allograft from surrounding soft tissues to prepare pulmonary venous/atrial cuff, pulmonary artery, and bronchus; unilateral
	32856	Backbench standard preparation of cadaver donor lung allograft prior to transplantation, including dissection of allograft from surrounding soft tissues

to prepare pulmonary venous/atrial cuff, pulmonary artery, and bronchus;
bilateral Removal of a total replacement heart system (artificial heart) for heart
, , , ,
transplantation (List separately in addition to code for primary procedure)
Donor cardiectomy-pneumonectomy (including cold preservation)
Backbench standard preparation of cadaver donor heart/lung allograft prior to transplantation, including dissection of allograft from surrounding soft tissues to prepare aorta, superior vena cava, inferior vena cava, and trachea for implantation
35 Heart-lung transplant with recipient cardiectomy-pneumonectomy
Donor cardiectomy (including cold preservation)
Backbench standard preparation of cadaver donor heart allograft prior to transplantation, including dissection of allograft from surrounding soft tissues to prepare aorta, superior vena cava, inferior vena cava, pulmonary artery,
and left atrium for implantation
Heart transplant, with or without recipient cardiectomy
Donor enterectomy, (including cold preservation) open; from cadaver donor
Donor enterectomy (including cold preservation), open; partial, from living
33 donor
Intestinal allotransplantation; from cadaver donor
Intestinal allotransplantation; from living donor
Backbench standard preparation of cadaver or living donor intestine allograft prior to transplantation, including mobilization and fashioning of the superior
15 mesenteric artery and vein
Backbench reconstruction of cadaver or living donor intestine allograft prior to
20 transplantation; venous anastomosis, each
Backbench reconstruction of cadaver or living donor intestine allograft prior to
transplantation; arterial anastomosis, each
Donor hepatectomy (including cold preservation), from cadaver donor
Liver allotransplantation; orthotopic, partial or whole, from cadaver or living donor, any age
Donor hepatectomy (including cold preservation), from living donor; left lateral segment only (segments II and III)
Donor hepatectomy (including cold preservation), from living donor; total left lobectomy (segments II, III and IV)
Donor hepatectomy (including cold preservation), from living donor; total right lobectomy (segments V, VI, VII and VIII)
Backbench standard preparation of cadaver donor whole liver graft prior to allotransplantation, including cholecystectomy, if necessary, and dissection and removal of surrounding soft tissues to prepare the vena cava, portal vein, hepatic artery, and common bile duct for implantation; without trisegment or
lobe split
Backbench standard preparation of cadaver donor whole liver graft prior to allotransplantation, including cholecystectomy, if necessary, and dissection and removal of surrounding soft tissues to prepare the vena cava, portal vein,
hepatic artery, and common bile duct for implantation; with trisegment split

		of whole liver graft into 2 partial liver grafts (ie, left lateral segment [segments
		II and III] and right trisegment [segments I and IV through VIII])
		Backbench standard preparation of cadaver donor whole liver graft prior to
		allotransplantation, including cholecystectomy, if necessary, and dissection
		and removal of surrounding soft tissues to prepare the vena cava, portal vein,
		hepatic artery, and common bile duct for implantation; with lobe split of
		whole liver graft into 2 partial liver grafts (i.e., left lobe (segments II, III, and IV)
	47145	and right lobe (segments I, V through VIII))
		Backbench reconstruction of cadaver or living donor liver graft prior to
	47146	allotransplantation; venous anastomosis, each
		Backbench reconstruction of cadaver or living donor liver graft prior to
	47147	allotransplantation; arterial anastomosis, each
		Donor pancreatectomy (including cold preservation), with or without
	48550	duodenal segment for transplantation
		Backbench standard preparation of cadaver donor pancreas allograft prior to
		transplantation, including dissection of allograft from surrounding soft tissues,
		splenectomy, duodenotomy, ligation of bile duct, ligation of mesenteric
		vessels, and Y-graft arterial anastomoses from iliac artery to superior
	48551	mesenteric artery and to splenic artery
		Backbench reconstruction of cadaver donor pancreas allograft prior to
	48552	transplantation, venous anastomosis, each
	48554	Transplantation of pancreatic allograft
	48556	Removal of transplanted pancreatic allograft
		Donor nephrectomy (including cold preservation); from cadaver donor,
	50300	unilateral or bilateral
	50320	Donor nephrectomy (including cold preservation); open, from living donor
		Backbench standard preparation of cadaver donor renal allograft prior to
		transplantation, including dissection and removal of perinephric fat,
		diaphragmatic and retroperitoneal attachments, excision of adrenal gland, and
	E0000	preparation of ureter(s), renal vein(s), and renal artery(s), ligating branches, as
	50323	necessary
		Backbench standard preparation of living donor renal allograft (open or
		laparoscopic) prior to transplantation, including dissection and removal of
	E0225	perinephric fat and preparation of ureter(s), renal vein(s), and renal artery(s),
	50325	ligating branches, as necessary
	F0227	Backbench reconstruction of cadaver or living donor renal allograft prior to
	50327	transplantation; venous anastomosis, each
	E0220	Backbench reconstruction of cadaver or living donor renal allograft prior to
	50328	transplantation; arterial anastomosis, each
	F0220	Backbench reconstruction of cadaver or living donor renal allograft prior to
	50329	transplantation; ureteral anastomosis, each
	50340	Recipient nephrectomy (separate procedure)
	E0360	Renal allotransplantation, implantation of graft; without recipient
	50360	nephrectomy Repair all expression at a simple station of grafts with regisient perhaps at any simple station.
	50365	Renal allotransplantation, implantation of graft; with recipient nephrectomy
1	50370	Removal of transplanted renal allograft

	50547	Laparoscopy, surgical; donor nephrectomy (including cold preservation), from living donor
	65710	Keratoplasty (corneal transplant); anterior lamellar
	65730	Keratoplasty (corneal transplant); penetrating (except in aphakia or pseudophakia)
	65750	Keratoplasty (corneal transplant); penetrating (in aphakia)
	65755	Keratoplasty (corneal transplant); penetrating (in pseudophakia)
	65756	Keratoplasty (corneal transplant); endothelial
		Backbench preparation of corneal endothelial allograft prior to transplantation
	65757	(List separately in addition to code for primary procedure)
	65767	Epikeratoplasty
HCPCS	V2785	Processing, preserving and transporting corneal tissue

*Coding Notes:

- The above code list is provided as a courtesy and may not be all-inclusive. Inclusion or omission of a code from this
 policy neither implies nor guarantees reimbursement or coverage. Some codes may not require routine review for
 medical necessity, but they are subject to provider contracts, as well as member benefits, eligibility and potential
 utilization audit
- All unlisted codes are reviewed for medical necessity, correct coding, and pricing at the claim level. If an unlisted code
 is submitted for non-covered services addressed in this policy then it will be denied as not covered. If an unlisted
 code is submitted for potentially covered services addressed in this policy, to avoid post-service denial, prior
 authorization is recommended.
- See the non-covered and prior authorization lists on the Company <u>Medical Policy</u>, <u>Reimbursement Policy</u>, <u>Pharmacy Policy and Provider Information website for additional information</u>.
- HCPCS/CPT code(s) may be subject to National Correct Coding Initiative (NCCI) procedure-to-procedure (PTP) bundling edits and daily maximum edits known as "medically unlikely edits" (MUEs) published by the Centers for Medicare and Medicaid Services (CMS). This policy does not take precedence over NCCI edits or MUEs. Please refer to the CMS website for coding guidelines and applicable code combinations.

REFERENCES

- 1. UNOS. Organ transplant. https://unos.org/transplant/. Accessed 12/22/2023.
- Organ Procurement and Transplantation Network. Organ procurement and transplantation network policies. Effective 10/27/2022. https://optn.transplant.hrsa.gov/media/eavh5bf3/optn_policies.pdf. Accessed 12/22/2023.

POLICY REVISION HISTORY

DATE	REVISION SUMMARY
2/2023	Converted to new policy template.
8/2023	Liberalized criterion VIII.B.
2/2024	Annual update. No change to criteria or coding.