
New and Emerging Technologies and Other Non-Covered Services

MEDICAL POLICY NUMBER: 23

Effective Date: 4/1/2026	COVERAGE CRITERIA	2
Last Review Date: 3/2026	POLICY CROSS REFERENCES.....	2
Next Annual Review: 1/2027	REGULATORY STATUS.....	2
	CLINICAL EVIDENCE REVIEW	3
	HEALTH EQUITY CONSIDERATIONS	3
	BILLING GUIDELINES AND CODING	3
	POLICY REVISION HISTORY.....	44

INSTRUCTIONS FOR USE: Company Medical Policies serve as guidance for the administration of plan benefits. Medical policies do not constitute medical advice nor a guarantee of coverage. Company Medical Policies are reviewed annually and are based upon published, peer-reviewed scientific evidence and evidence-based clinical practice guidelines that are available as of the last policy update. The Company reserves the right to determine the application of medical policies and make revisions to medical policies at any time. The scope and availability of all plan benefits are determined in accordance with the applicable coverage agreement. Any conflict or variance between the terms of the coverage agreement and Company Medical Policy will be resolved in favor of the coverage agreement. Coverage decisions are made on the basis of individualized determinations of medical necessity and the experimental or investigational character of the treatment in the individual case. In cases where medical necessity is not established by policy for specific treatment modalities, evidence not previously considered regarding the efficacy of the modality that is presented shall be given consideration to determine if the policy represents current standards of care.

SCOPE: Providence Health Plan, Providence Health Assurance, and Providence Plan Partners as applicable (referred to individually as “Company” and collectively as “Companies”).

PLAN PRODUCT AND BENEFIT APPLICATION

Commercial

Medicaid/OHP*

Medicare**

*Medicaid/OHP Members

Oregon: Services requested for Oregon Health Plan (OHP) members follow the OHP Prioritized List and Oregon Administrative Rules (OARs) as the primary resource for coverage determinations. Medical policy criteria below may be applied when there are no criteria available in the OARs and the OHP Prioritized List.

See Excluded Services Guideline E1 and Excluded Services Guideline E2 of the OHP Prioritized List of Health Services for guidance on New and Emerging Technology. In the absence of OHP guidance, PHA will follow this policy.

**Medicare Members

This *Company* policy may be applied to Medicare Plan members only when directed by a separate *Medicare* policy. Note that investigational services are considered “**not medically necessary**” for Medicare members.

COVERAGE CRITERIA

A review of the ECRI, Hayes, Cochrane, and PubMed databases was conducted regarding each of the medical technologies listed in the CPT/HCPCS CODE section below. The evidence was determined to be insufficient to support the clinical utility, diagnostic efficacy, and/or safety of these technologies. Additional high-quality studies are needed to establish the long-term efficacy, durability, and safety of these technologies for any condition; therefore, all the following medical services listed in the CPT/HCPCS CODE section below are considered **investigational or not medically necessary**.

POLICY CROSS REFERENCES

None

The full Company portfolio of current Medical Policies is available online and can be [accessed here](#).

REGULATORY STATUS

U.S. FOOD AND DRUG ADMINISTRATION (FDA)

Approval or clearance by the Food and Drug Administration (FDA) does not in itself establish medical necessity or serve as a basis for coverage. Therefore, this section is provided for informational purposes only.

CLINICAL EVIDENCE REVIEW

A review of the ECRI, Hayes, Cochrane, and PubMed databases was conducted regarding each of the medical technologies listed below in the CPT/HCPCS CODE section. The evidence was insufficient to support the clinical utility, diagnostic efficacy, and/or safety of these technologies. Evidence reviews and summaries for each technology addressed in this policy may be made available upon request.

HEALTH EQUITY CONSIDERATIONS

The Centers for Disease Control and Prevention (CDC) defines health equity as the state in which everyone has a fair and just opportunity to attain their highest level of health. Achieving health equity requires addressing health disparities and social determinants of health. A health disparity is the occurrence of diseases at greater levels among certain population groups more than among others. Health disparities are linked to social determinants of health which are non-medical factors that influence health outcomes such as the conditions in which people are born, grow, work, live, age, and the wider set of forces and systems shaping the conditions of daily life. Social determinants of health include unequal access to health care, lack of education, poverty, stigma, and racism.

The U.S. Department of Health and Human Services Office of Minority Health calls out unique areas where health disparities are noted based on race and ethnicity. Providence Health Plan (PHP) regularly reviews these areas of opportunity to see if any changes can be made to our medical or pharmacy policies to support our members obtaining their highest level of health. Upon review, PHP creates a Coverage Recommendation (CORE) form detailing which groups are impacted by the disparity, the research surrounding the disparity, and recommendations from professional organizations. PHP Health Equity COREs are updated regularly and can be found online [here](#).

BILLING GUIDELINES AND CODING

CODES*		
Code	Description	Manufacturer & Device Name (if applicable)
CPT CODES		
0020M	Oncology (central nervous system), analysis of 30000 DNA methylation loci by methylation array, utilizing DNA extracted from tumor tissue, diagnostic algorithm reported as probability of matching a reference tumor subclass	Epignostix CNS Tumor Methylation Classifier, Heidelberg Epignostix

0002U	Oncology (colorectal), quantitative assessment of three urine metabolites (ascorbic acid, succinic acid and carnitine) by liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring acquisition, algorithm reported as likelihood of adenomatous polyps	PolypDX™ by Atlantic Diagnostic Laboratories, LLC, and Metabolomic Technologies Inc.
0025U	Tenofovir, by liquid chromatography with tandem mass spectrometry (LC-MS/MS), urine, quantitative	UrSure by UrSure, Inc.
0407U	Nephrology (diabetic chronic kidney disease [CKD]), multiplex electrochemiluminescent immunoassay (ECLIA) of soluble tumor necrosis factor receptor 1 (sTNFR1), soluble tumor necrosis receptor 2 (sTNFR2), and kidney injury molecule 1 (KIM-1) combined with clinical data, plasma, algorithm reported as risk for progressive decline in kidney function	kidneyintelX.dkd by Renalytix Inc.
0412U	Beta amyloid, Aβ42/40 ratio, immunoprecipitation with quantitation by liquid chromatography with tandem mass spectrometry (LC-MS/MS) and qualitative ApoE isoform-specific proteotyping, plasma combined with age, algorithm reported as presence or absence of brain amyloid pathology	PreclivityAD blood test by C2N Diagnostics
0414U	Oncology (lung), augmentative algorithmic analysis of digitized whole slide imaging for 8 genes (ALK, BRAF, EGFR, ERBB2, MET, NTRK1-3, RET, ROS1), and KRAS G12C and PD-L1, if performed, formalin-fixed paraffin-embedded (FFPE) tissue, reported as positive or negative for each biomarker	LungOI by Imagene
0418U	Oncology (breast), augmentative algorithmic analysis of digitized whole slide imaging of 8 histologic and immunohistochemical features, reported as a recurrence score	PreciseDx Breast Biopsy Test, by PreciseDx Inc
0054U	Prescription drug monitoring, 14 or more classes of drugs and substances, definitive tandem mass spectrometry with chromatography, capillary blood, quantitative report with therapeutic and toxic ranges, including steady-state range for the prescribed dose when detected, per date of service	AssuranceRX Micro Serum Test by Firstox™
0058U	Oncology (Merkel cell carcinoma), detection of antibodies to the Merkel cell polyoma virus oncoprotein (small T antigen), serum, quantitative	Merkel SmT Oncoprotein Antibody Titer, University of Washington Department of Laboratory Medicine
0059U	Oncology (Merkel cell carcinoma), detection of antibodies to the Merkel cell polyoma virus capsid protein (VP1), serum, reported as positive or negative	
0061U	Transcutaneous measurement of five biomarkers (tissue oxygenation [StO2], oxyhemoglobin [ctHbO2], deoxyhemoglobin [ctHbR], papillary and reticular dermal hemoglobin concentrations [ctHb1 and ctHb2]), using spatial frequency domain imaging (SFDI) and multi-spectral analysis	Spatial Frequency Domain Imaging (SFDI) by Modulated Imaging, Inc.

0086U	Infectious disease (bacterial and fungal), organism identification, blood culture, using rRNA FISH, 6 or more organism targets, reported as positive or negative with phenotypic minimum inhibitory concentration (MIC)-based antimicrobial susceptibility	Accelerate PhenoTest™ BC kit by Accelerate Diagnostics, Inc.
0095U	Eosinophilic esophagitis, 2 protein biomarkers Eotaxin-3 [CCL26 {C-C motif chemokine ligand 26}] and Major Basic Protein [PRG2 [proteoglycan 2, pro eosinophil major basic protein]], enzyme-linked immunosorbent assays (ELISA) specimen obtained by esophageal string test, algorithm reported as probability of active or inactive eosinophilic esophagitis	Esophageal String Test™ (EST) by Cambridge Biomedical, Inc.
0096U	Human papillomavirus (HPV), high-risk types (ie, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, 68), male urine	HPV, High-Risk, Male Urine by Molecular Testing Labs
0105U	Nephrology (chronic kidney disease), multiplex electrochemiluminescent immunoassay (ECLIA) of tumor necrosis factor receptor 1A, receptor superfamily 2 (TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1) combined with longitudinal clinical data, including APOL1 genotype if available, and plasma (isolated fresh or frozen), algorithm reported as probability score for rapid kidney function decline (RKFD)	KidneyIntelIX™, RenalytixAI
0107U	Clostridium difficile toxin(s) antigen detection by immunoassay technique, stool, qualitative, multiple-step method	Singulex Clarity C.diff toxins A/B assay by Singulex
0108U	Gastroenterology (Barrett's esophagus), whole slide–digital imaging, including morphometric analysis, computer-assisted quantitative immunolabeling of 9 protein biomarkers (p16, AMACR, p53, CD68, COX-2, CD45RO, HIF1a, HER-2, K20) and morphology, formalin-fixed paraffin-embedded tissue, algorithm reported as risk of progression to high-grade dysplasia or cancer	TissueCypher® Barrett's Esophagus Assay by Cernostics
0109U	Infectious disease (Aspergillus species), real-time PCR for detection of DNA from 4 species (A. fumigatus, A. terreus, A. niger, and A. flavus), blood, lavage fluid, or tissue, qualitative reporting of presence or absence of each species	MYCODART Dual Amplification Real Time PCR Panel for 4 Aspergillus species, RealTime Laboratories, Inc/MycoDART, Inc
0110U	Prescription drug monitoring, one or more oral oncology drug(s) and substances, definitive tandem mass spectrometry with chromatography, serum or plasma from capillary blood or venous blood, quantitative report with steady-state range for the prescribed drug(s) when detected	Oral OncolyticAssuranceRX, Firstox Laboratories, LLC

0112U	Infectious agent detection and identification, targeted sequence analysis (16S and 18S rRNA genes) with drug-resistance gene	MicroGenDX qPCR & NGS for Infection, MicroGenDX
0114U	Gastroenterology (Barrett's esophagus), VIM and CCNA1 methylation analysis, esophageal cells, algorithm reported as likelihood for Barrett's esophagus	EsoGuard™ by Lucid Diagnostics
0115U	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18 viral types and subtypes and 2 bacterial targets, amplified probe technique, including multiplex reverse transcription for RNA targets, each analyte reported as detected or not detected	ePlex Respiratory Pathogen (RP) Panel, GenMark Diagnostics, Inc
0116U	Prescription drug monitoring, enzyme immunoassay of 35 or more drugs confirmed with LC-MS/MS, oral fluid, algorithm results reported as a patient-compliance measurement with risk of drug to drug interactions for prescribed medications	Snapshot Oral Fluid Compliance, Ethos Laboratories
0117U	Pain management, analysis of 11 endogenous analytes (methylmalonic acid, xanthurenic acid, homocysteine, pyroglutamic acid, vanilmandelate, 5-hydroxyindoleacetic acid, hydroxymethylglutarate, ethylmalonate, 3-hydroxypropyl mercapturic acid (3-HPMA), quinolinic acid, kynurenic acid), LC-MS/MS, urine, algorithm reported as a pain-index score with likelihood of atypical biochemical function associated with pain	Foundation PI SM by Ethos Laboratories
0118U	Transplantation medicine, quantification of donor-derived cell-free DNA using whole genome next-generation sequencing, plasma, reported as percentage of donor-derived cell-free DNA in the total cell-free DNA	Eurofins TRACTM dd-cfDNA, Transplant Genomics Inc
0121U	Fetal congenital abnormalities, biochemical assays of 3 analytes (free beta-hCG, PAPP-A, AFP), time-resolved fluorescence immunoassay, maternal dried-blood spot, algorithm reported as risk scores for fetal trisomies 13/18 and 21	Flow Adhesion of Whole Blood on VCAM-1 (FAB-V) by Functional Fluidics
0122U	Sickle cell disease, microfluidic flow adhesion (P-Selectin), whole blood	Flow Adhesion of Whole Blood to P-SELECTIN (WB-PSEL), by Functional Fluidics
0123U	Mechanical fragility, RBC, shear stress and spectral analysis profiling	Mechanical Fragility, RBC by shear stress profiling and spectral analysis by Functional Fluidics
0140U	Infectious disease (fungi), fungal pathogen identification, DNA (15 fungal targets), blood culture, amplified probe technique, each target reported as detected or not detected	
0141U	Infectious disease (bacteria and fungi), gram-positive organism identification and drug resistance element detection, DNA (20 gram-positive bacterial targets, 4	

	resistance genes, 1 pan gram-negative bacterial target, 1 pan Candida target), blood culture, amplified probe technique, each target reported as detected or not detected	
0142U	Infectious disease (bacteria and fungi), gram-negative bacterial identification and drug resistance element detection, DNA (21 gram-negative bacterial targets, 6 resistance genes, 1 pan gram-positive bacterial target, 1 pan Candida target), amplified probe technique, each target reported as detected or not detected	
0152U	Infectious disease (bacteria, fungi, parasites, and DNA viruses), DNA, PCR and next-generation sequencing, plasma, detection of >1,000 potential microbial organisms for significant positive pathogens	Karius® Test by Karius
0156U	Copy number (eg, intellectual disability, dysmorphology), sequence analysis	SMASH™ Genomic Assay by Marvel Genomics®
0164U	Gastroenterology (irritable bowel syndrome [IBS]), immunoassay for anti-CdtB and anti-vinculin antibodies, utilizing plasma, algorithm for elevated or not elevated qualitative results	ibs-smart®, Gemelli Biotech
0166U	Liver disease, 10 biochemical assays (α 2-macroglobulin, haptoglobin, apolipoprotein A1, bilirubin, GGT, ALT, AST, triglycerides, cholesterol, fasting glucose) and biometric and demographic data, utilizing serum, algorithm reported as scores for fibrosis, necroinflammatory activity, and steatosis with a summary interpretation	LiverFASt™, Fibronostics
0170U	Neurology (autism spectrum disorder [ASD]), RNA, next-generation sequencing, saliva, algorithmic analysis, and results reported as predictive probability of ASD diagnosis	Clarifi™, Quadrant Biosciences, Inc
0174U	Oncology (solid tumor), mass spectrometric 30 protein targets, formalin-fixed paraffin-embedded tissue, prognostic and predictive algorithm reported as likely, unlikely, or uncertain benefit of 39 chemotherapy and targeted therapeutic oncology agents	LC-MS/MS Targeted Proteomic Assay, OncoOmicDx Laboratory, LDT
0176U	Cytolethal distending toxin B (CdtB) and vinculin IgG antibodies by immunoassay (ie, ELISA)	IBSchek®, Commonwealth Diagnostics International, Inc
0206U	Neurology (Alzheimer disease); cell aggregation using morphometric imaging and protein kinase C-epsilon (PKCe) concentration in response to amylospheroid treatment by ELISA, cultured skin fibroblasts, each reported as positive or negative for Alzheimer disease	DISCERN, NeuroDiagnostics,
0207U	Disease quantitative imaging of phosphorylated ERK1 and ERK2 in response to bradykinin treatment by in situ immunofluorescence, using cultured skin fibroblasts, reported	DISCERN, NeuroDiagnostics,

	as a probability index for Alzheimer disease (List separately in addition to code for primary procedure)	
0210U	Syphilis test, non-treponemal antibody, immunoassay, quantitative (RPR)	BioPlex 2200 RPR Assay - Quantitative, Bio-Rad Laboratories
0219U	Infectious agent (human immunodeficiency virus), targeted viral next-generation sequence analysis (ie, protease [PR], reverse transcriptase [RT], integrase [INT]), algorithm reported as prediction of antiviral drug susceptibility	Sentosa® SQ HIV-1 Genotyping Assay, Vela Diagnostics USA,
0220U	Oncology (breast cancer), image analysis with artificial intelligence assessment of 12 histologic and immunohistochemical features, reported as a recurrence score	PreciseDx™ Breast Cancer Test, PreciseDx, PreciseDx
0243U	Obstetrics (preeclampsia), biochemical assay of placental-growth factor, time-resolved fluorescence immunoassay, maternal serum, predictive algorithm reported as a risk score for preeclampsia	PIGF Preeclampsia Screen, PerkinElmer
0247U	Obstetrics (preterm birth), insulin-like growth factor-binding protein 4 (IBP4), sex hormone-binding globulin (SHBG), quantitative measurement by LC-MS/MS, utilizing maternal serum, combined with clinical data, reported as predictive-risk stratification for spontaneous preterm birth	PreTRM®, Sera Prognostics, Sera Prognostics, Inc®
0251U	Hepcidin-25, enzyme-linked immunosorbent assay (ELISA), serum or plasma	Intrinsic Hepcidin IDx™ Test, IntrinsicDx, Intrinsic LifeSciences™
0255U	Andrology (infertility), sperm-capacitation assessment of ganglioside GM1 distribution patterns, fluorescence microscopy, fresh or frozen specimen, reported as percentage of capacitated sperm and probability of generating a pregnancy score	Cap-Score™ Test, Androvia LifeSciences Lab
0259U	Nephrology (chronic kidney disease), nuclear magnetic resonance spectroscopy measurement of myo-inositol, valine, and creatinine, algorithmically combined with cystatin C (by immunoassay) and demographic data to determine estimated glomerular filtration rate (GFR), serum, quantitative	GFR by NMR, Labtech™ Diagnostics
0261U	Oncology (colorectal cancer), image analysis with artificial intelligence assessment of 4 histologic and immunohistochemical features (CD3 and CD8 within tumor-stroma border and tumor core), tissue, reported as immune response and recurrence-risk score	Immunoscore®, HalioDx, HalioDx
0262U	Oncology (solid tumor), gene expression profiling by real-time RT-PCR of 7 gene pathways (ER, AR, PI3K, MAPK, HH, TGFB, Notch), formalin-fixed paraffinembedded (FFPE), algorithm reported as gene pathway activity score	OncoSignal 7 Pathway Signal, Protean BioDiagnostics, Philips Electronics Nederland BV

0263U	Neurology (autism spectrum disorder [ASD]), quantitative measurements of 16 central carbon metabolites (ie, ?ketoglutarate, alanine, lactate, phenylalanine, pyruvate, succinate, carnitine, citrate, fumarate, hypoxanthine, inosine, malate, S-sulfocysteine, taurine, urate, and xanthine), liquid chromatography tandem mass spectrometry (LC-MS/MS), plasma, algorithmic analysis with result reported as negative or positive (with metabolic subtypes of ASD)	NPDX ASD and Central Carbon Energy Metabolism, Stemina Biomarker Discovery, Inc.
0311U	Infectious disease (bacterial), quantitative antimicrobial susceptibility reported as phenotypic minimum inhibitory concentration (MIC)–based antimicrobial susceptibility for each organism identified	Accelerate PhenoTest® BC kit, AST configuration, Accelerate Diagnostics, Inc.
0312U	Autoimmune diseases (eg, systemic lupus erythematosus [SLE]), analysis of 8 IgG autoantibodies and 2 cell-bound complement activation products using enzyme-linked immunosorbent immunoassay (ELISA), flow cytometry and indirect immunofluorescence, serum, or plasma and whole blood, individual components reported along with an algorithmic SLE-likelihood assessment	Avisé® Lupus, Exagen Inc.
0316U	Borrelia burgdorferi (Lyme disease), OspA protein evaluation, urine	
0322U	Neurology (autism spectrum disorder [ASD]), quantitative measurements of 14 acyl carnitines and microbiome-derived metabolites, liquid chromatography with tandem mass spectrometry (LC-MS/MS), plasma, results reported as negative or positive for risk of metabolic subtypes associated with ASD	NPDX ASD Test Panel III, NeuroPointDX
0344U	Hepatology (nonalcoholic fatty liver disease [NAFLD]), semiquantitative evaluation of 28 lipid markers by liquid chromatography with tandem mass spectrometry (LC-MS/MS), serum reported as at-risk for nonalcoholic steatohepatitis (NASH) or not NASH	OWLiver®, CIMA Sciences, LLC
0351U	Infectious disease (bacterial or viral), biochemical assays, tumor necrosis factor-related apoptosis-inducing ligand (TRAIL), interferon gamma-induced protein-10 (IP10), and C-reactive protein, serum, or venous whole blood, algorithm reported as likelihood of bacterial infection	MeMed BV®, MeMed Diagnostics, Ltd
0358U	Neurology (mild cognitive impairment), analysis of β-amyloid 1-42 and 1-40, chemiluminescence enzyme immunoassay, cerebral spinal fluid, reported as positive, likely positive, or negative	Lumipulse® G β-Amyloid Ratio (1-42/1-40) Test, Fujirebio Diagnostics, Inc., Pennsylvania
0361U	TERMED 1/1/26 Neurofilament light chain, digital immunoassay, plasma, quantitative	Neurofilament Light Chain (NFL), Mayo Clinic

0369U	TERMED 7/1/2025 Infectious agent detection by nucleic acid (DNA and RNA), gastrointestinal pathogens, 31 bacterial, viral, and parasitic organisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique	GI assay (Gastrointestinal Pathogen with ABR), Thermo Fisher Scientific
0370U	TERMED 7/1/2025 Infectious agent detection by nucleic acid (DNA and RNA), surgical wound pathogens, 34 microorganisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique, wound swab	Lesion Infection (Wound), Lab Genomics LLC, Thermo Fisher Scientific
0371U	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary pathogen, semiquantitative identification, DNA from 16 bacterial organisms and 1 fungal organism, multiplex amplified probe technique via quantitative polymerase chain reaction (qPCR), urine	Qlear UTI – Reflex ABR, Lifescan Labs of Illinois, Thermo Fisher Scientific
0372U	Infectious disease (genitourinary pathogens), antibiotic-resistance gene detection, multiplex amplified probe technique, urine, reported as an antimicrobial stewardship risk score	Qlear UTI – Reflex ABR, Lifescan Labs of Illinois, Thermo Fisher Scientific
0373U	TERMED 7/1/2025 Infectious agent detection by nucleic acid (DNA and RNA), respiratory tract infection, 17 bacteria, 8 fungus, 13 virus, and 16 antibiotic-resistance genes, multiplex amplified probe technique, upper or lower respiratory specimen	Respiratory Pathogen with ABR (RPX), Lab Genomics LLC, Thermo Fisher Scientific
0374U	TERMED 7/1/2025 Infectious agent detection by nucleic acid (DNA or RNA), genitourinary pathogens, identification of 21 bacterial and fungal organisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique, urine	Urogenital Pathogen with Rx Panel (UPX), Lab Genomics LLC, Thermo Fisher Scientific
0376U	Oncology (prostate cancer), image analysis of at least 128 histologic features and clinical factors, prognostic algorithm determining the risk of distant metastases, and prostate cancer-specific mortality, includes predictive algorithm to androgen deprivation therapy response, if appropriate	ArteraAI Prostate Test, Artera Inc©, Artera Inc©
0384U	Nephrology (chronic kidney disease), carboxymethyllysine, methylglyoxal hydroimidazolone, and carboxyethyl lysine by liquid chromatography with tandem mass spectrometry (LCMS/MS) and HbA1c and estimated glomerular filtration rate (GFR), with risk score reported for predictive progression to high-stage kidney disease	NaviDKDTM Predictive Diagnostic Screening for Kidney Health, Journey Biosciences, Inc, Journey Biosciences, Inc
0385U	Nephrology (chronic kidney disease), apolipoprotein A4 (ApoA4), CD5 antigen-like (CD5L), and insulin-like growth factor binding protein 3 (IGFBP3) by enzyme-linked immunoassay (ELISA), plasma, algorithm combining results with HDL, estimated glomerular filtration rate (GFR) and	PromarkerD, Sonic Reference Laboratory, Proteomics International Pty Ltd

	clinical data reported as a risk score for developing diabetic kidney disease	
0429U	Human papillomavirus (HPV), oropharyngeal swab, 14 high-risk types (ie, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68)	
0443U	Neurofilament light chain (NfL), ultra-sensitive immunoassay, serum or cerebrospinal fluid	Neurofilament Light Chain (NfL), Neuromuscular Clinical Laboratory at Washington University in St. Louis School of Medicine
0445U	β -amyloid (Abeta42) and phospho tau (181P) (pTau181), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	Elecsys PhosphoTau (181P) CSF (pTau181) and β Amyloid (1-42) CSF II (Abeta 42) Ratio, Roche Diagnostics Operations, Inc
0446U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 10 cytokine soluble mediator biomarkers by immunoassay, plasma, individual components reported with an algorithmic risk score for current disease activity	aisle DX Disease Activity Index, Progenetec Diagnostics
0447U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 11 cytokine soluble mediator biomarkers by immunoassay, plasma, individual components reported with an algorithmic prognostic risk score for developing a clinical flare	aisle DX Flare Risk Index, Progenetec Diagnostics, Inc, Progenetec Diagnostics
0450U	TERMED 9/30/2025 Oncology (multiple myeloma), liquid chromatography with tandem mass spectrometry (LCMS/MS), monoclonal paraprotein sequencing analysis, serum, results reported as baseline presence or absence of detectable clonotypic peptides	
0451U	TERMED 9/30/2025 Oncology (multiple myeloma), LCMS/MS, peptide ion quantification, serum, results compared with baseline to determine monoclonal paraprotein abundance	
0452U	Oncology (bladder), methylated PENK DNA detection by linear target enrichment-quantitative methylation-specific real-time PCR (LTE-qMSP), urine, reported as likelihood of bladder cancer	
0457U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 9 PFAS compounds by LC-MS/MS, plasma or serum, quantitative	

0458U	Oncology (breast cancer), S100A8 and S100A9, by enzymelinked immunosorbent assay (ELISA), tear fluid with age, algorithm reported as a risk score	
0459U	β -amyloid (Abeta42) and total tau (tTau), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	
0463U	Oncology (cervix), mRNA gene expression profiling of 14 biomarkers (E6 and E7 of the highest-risk human papillomavirus [HPV] types 16, 18, 31, 33, 45, 52, 58), by real-time nucleic acid sequence-based amplification (NASBA), exo- or endocervical epithelial cells, algorithm reported as positive or negative for increased risk of cervical dysplasia or cancer for each biomarker	
0468U	Hepatology (nonalcoholic steatohepatitis [NASH]), miR-34a5p, alpha 2-macroglobulin, YKL40, HbA1c, serum and whole blood, algorithm reported as a single score for NASH activity and fibrosis	
0219T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level; cervical	TruFUSE® by miniSURG™ Corp.
0220T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level; thoracic	
0221T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level; lumbar	
0222T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level; each additional vertebral segment (List separately in addition to code for primary procedure)	
0335T	Extra-osseous subtalar joint implant for talotarsal stabilization	
0338T	Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; unilateral	Symplicity Renal Denervation (RDN) System by Medtronic/ EnligHTN multi-electrode renal denervation system by St. Jude Medical/ One-Shot Renal Denervation System by Covidien/ Vessix Renal Denervation System by Boston

		Scientific/ CARTO Thermocool Smarttouch Catheter by Biosense Webster
0339T	Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; bilateral	Symlicity Renal Denervation (RDN) System by Medtronic/ EnlighTN multi-electrode renal denervation system by St. Jude Medical/ One-Shot Renal Denervation System by Covidien/ Vessix Renal Denervation System by Boston Scientific/ CARTO Thermocool Smarttouch Catheter by Biosense Webster
0378T	Visual field assessment, with concurrent real time data analysis and accessible data storage with patient initiated data transmitted to a remote surveillance center for up to 30 days; review and interpretation with report by a physician or other qualified health care professional	ForeseeHome age-related macular degeneration Monitoring Program by Notal Vision, Ltd.
0379T	Visual field assessment, with concurrent real time data analysis and accessible data storage with patient initiated data transmitted to a remote surveillance center for up to 30 days; technical support and patient instructions, surveillance, analysis, and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional	ForeseeHome age-related macular degeneration Monitoring Program by Notal Vision, Ltd.
0394T	TERMED 1/1/26 High dose rate electronic brachytherapy, skin surface application, per fraction, includes basic dosimetry, when performed	
0395T	High dose rate electronic brachytherapy, interstitial or intracavitary treatment, per fraction, includes basic dosimetry, when performed	
0408T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; pulse generator with transvenous electrodes	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0409T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; pulse generator only	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics

0410T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; atrial electrode only	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0411T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; ventricular electrode only	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0412T	Removal of permanent cardiac contractility modulation system; pulse generator only	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0413T	Removal of permanent cardiac contractility modulation system; transvenous electrode (atrial or ventricular)	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0414T	Removal and replacement of permanent cardiac contractility modulation system pulse generator only	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0415T	Repositioning of previously implanted cardiac contractility modulation transvenous electrode (atrial or ventricular lead)	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0416T	Relocation of skin pocket for implanted cardiac contractility modulation pulse generator	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0417T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable cardiac contractility modulation system	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0418T	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter, implantable cardiac contractility modulation system	Cardiac Contractility Modulation (CCM) System by Impulse Dynamics
0422T	Tactile breast imaging by computer-aided tactile sensors, unilateral or bilateral	Breastview Visual Mapping System by Medical Tactile, Inc. iBreast Exam (iBE) by UE LifeSciences Inc.
0444T	Initial placement of a drug-eluting ocular insert under one or more eyelids, including fitting, training, and insertion, unilateral or bilateral	Dextenza by Ocular Therapeutix, Inc.

0445T	Subsequent placement of a drug-eluting ocular insert under one or more eyelids, including re-training, and removal of existing insert, unilateral or bilateral	Dextenza by Ocular Therapeutix, Inc.
0507T	Near-infrared dual imaging (ie, simultaneous reflective and trans-illuminated light) of meibomian glands, unilateral or bilateral, with interpretation and report	LipiScan Dynamic Meibomian Imager by TearScience
0525T	Insertion or replacement of intracardiac ischemia monitoring system, including testing of the lead and monitor, initial system programming, and imaging supervision and interpretation; complete system (electrode and implantable monitor)	AngelMed Guardian System by Angel Medical Systems
0526T	Insertion or replacement of intracardiac ischemia monitoring system, including testing of the lead and monitor, initial system programming, and imaging supervision and interpretation; electrode only	AngelMed Guardian System by Angel Medical Systems
0527T	Insertion or replacement of intracardiac ischemia monitoring system, including testing of the lead and monitor, initial system programming, and imaging supervision and interpretation; implantable monitor only	AngelMed Guardian System by Angel Medical Systems
0528T	Programming device evaluation (in person) of intracardiac ischemia monitoring system with iterative adjustment of programmed values, with analysis, review, and report	AngelMed Guardian System by Angel Medical Systems
0529T	Interrogation device evaluation (in person) of intracardiac ischemia monitoring system with analysis, review, and report	AngelMed Guardian System by Angel Medical Systems
0530T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; complete system (electrode and implantable monitor)	AngelMed Guardian System by Angel Medical Systems
0531T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; electrode only	AngelMed Guardian System by Angel Medical Systems
0532T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; implantable monitor only	AngelMed Guardian System by Angel Medical Systems
0546T	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report	
0559T	Anatomic model 3D-printed from image data set(s); first individually prepared and processed component of an anatomic structure	
0560T	Anatomic model 3D-printed from image data set(s); each additional individually prepared and processed component of an anatomic structure (List separately in addition to code for primary procedure)	
0561T	Anatomic guide 3D-printed and designed from image data set(s); first anatomic guide	

0562T	Anatomic guide 3D-printed and designed from image data set(s); each additional anatomic guide (List separately in addition to code for primary procedure)	
0569T	Transcatheter tricuspid valve repair, percutaneous approach; initial prosthesis	Abbot TriClip Transcatheter Tricuspid Valve Repair System
0570T	Transcatheter tricuspid valve repair, percutaneous approach; each additional prosthesis during same session (List separately in addition to code for primary procedure)	Abbot TriClip Transcatheter Tricuspid Valve Repair System
0581T	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including imaging guidance when performed, unilateral	
0582T	Transurethral ablation of malignant prostate tissue by high-energy water vapor thermotherapy, including intraoperative imaging and needle guidance	
0583T	Tympanostomy (requiring insertion of ventilating tube), using an automated tube delivery system, iontophoresis local anesthesia	
0594T	Osteotomy, humerus, with insertion of an externally controlled intramedullary lengthening device, including intraoperative imaging, initial and subsequent alignment assessments, computations of adjustment schedules, and management of the intramedullary lengthening device	FITBONE System PRECICE UNYTE Nail
0598T	Real-time fluorescence wound imaging, with clinical darkness, to identify location of bacterial wound pathogens and measure wound size, per session; first anatomic site (eg, lower extremity, right leg)	MolecuLight i:X
0599T	Real-time fluorescence wound imaging with clinical darkness, to identify location of bacterial wound pathogens and measure wound size, per session; each additional anatomic site (eg, upper extremity, left leg) (List separately in addition to code for primary procedure)	MolecuLight i:X
0602T	Glomerular filtration rate (GFR) measurement(s), transdermal, including sensor placement and administration of a single dose of fluorescent pyrazine agent	MediBeacon's Transdermal GFR Measurement System and patented pharmaceutical Lumitrace
0603T	Glomerular filtration rate (GFR) monitoring, transdermal, including sensor placement and administration of more than one dose of fluorescent pyrazine agent, each 24 hours	MediBeacon's Transdermal GFR Measurement System and patented pharmaceutical Lumitrace

0604T	Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment	Home OCT (Notal Vision)
0605T	Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; remote surveillance center technical support, data analyses and reports, with a minimum of 8 daily recordings, each 30 days	Home OCT (Notal Vision)
0606T	Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days	Home OCT (Notal Vision)
0607T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequency-derived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; set-up and patient education on use of equipment	
0608T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequency-derived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional	
0609T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); acquisition of single voxel data, per disc, on biomarkers (ie, lactic acid, carbohydrate, alanine, laal, propionic acid, proteoglycan, and collagen) in at least 3 discs	NOCISCAN™ Suite (Nocimed)
0610T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); transmission of biomarker data for software analysis	NOCISCAN™ Suite (Nocimed)
0611T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); postprocessing for algorithmic analysis of biomarker data for determination of relative chemical differences between discs	NOCISCAN™ Suite (Nocimed)
0612T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); interpretation and report	NOCISCAN™ Suite (Nocimed)

0613T	Percutaneous transcatheter implantation of interatrial septal shunt device, including right and left heart catheterization, intracardiac echocardiography, and imaging guidance by the proceduralist, when performed	InterAtrial Shunt Device (IASD), Corvia Medical
0615T	Automated analysis of binocular eye movements without spatial calibration, including disconjugacy, saccades, and pupillary dynamics for the assessment of concussion, with interpretation and report	EyeBOX exam, Oculogica
0621T	Trabeculostomy ab interno by laser	
0622T	Trabeculostomy ab interno by laser; with use of ophthalmic endoscope	
0623T	TERMED 1/1/26 Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography; data preparation and transmission, computerized analysis of data, with review of computerized analysis output to reconcile discordant data, interpretation and report	
0624T	TERMED 1/1/26 Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography; data preparation and transmission	
0625T	TERMED 1/1/26 Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography; computerized analysis of data from coronary computed tomographic angiography	
0626T	TERMED 1/1/26 Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography; review of computerized analysis output to reconcile discordant data, interpretation and report	
0631T	TERMED 1/1/26 Transcutaneous visible light hyperspectral imaging measurement of oxyhemoglobin, deoxyhemoglobin, and tissue oxygenation, with interpretation and report, per extremity	
0632T	Percutaneous transcatheter ultrasound ablation of nerves innervating the pulmonary arteries, including right heart catheterization, pulmonary artery angiography, and all imaging guidance	

0639T	Wireless skin sensor thermal anisotropy measurement(s) and assessment of flow in cerebrospinal fluid shunt, including ultrasound guidance, when performed	
0643T	Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when performed, arterial approach	Revivent TC System - BioVentrix
0640T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]), other than for screening for peripheral arterial disease, image acquisition, interpretation, and report; first anatomic site	
0644T	Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction (eg, vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed	AngioVac System
0645T	Transcatheter implantation of coronary sinus reduction device including vascular access and closure, right heart catheterization, venous angiography, coronary sinus angiography, imaging guidance, and supervision and interpretation, when performed	Neovasc Reducer
0646T	Transcatheter tricuspid valve implantation/replacement (TTVI) with prosthetic valve, percutaneous approach, including right heart catheterization, temporary pacemaker insertion, and selective right ventricular or right atrial angiography, when performed	Intrepid Transcatheter Mitral Valve Replacement System (Medtronic)
0647T	Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound guidance, image documentation and report	Puma-G System (Ultrasound Gastronomy)
0655T	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with MR-fused images or other enhanced ultrasound imaging	Visualase Laser Ablation, Medtronic
0656T	Anterior lumbar or thoracolumbar vertebral body tethering, anterior; up to 7 vertebral segments	
0657T	Anterior lumbar or thoracolumbar vertebral body tethering, anterior; 8 or more vertebral segments	
0658T	Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score	Nevisense, SciBase
0659T	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with percutaneous coronary revascularization during acute myocardial infarction, including catheter placement, imaging guidance (eg, fluoroscopy), angiography, and radiologic supervision and interpretation	TherOx Downstream System, TherOx Inc
0660T	Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach	
0661T	Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant	

0673T	Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging guidance	
0674T	Laparoscopic insertion of new or replacement of permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including an implantable pulse generator and diaphragmatic lead(s)	
0675T	Laparoscopic insertion of new or replacement of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; first lead	
0676T	Laparoscopic insertion of new or replacement of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; each additional lead (List separately in addition to code for primary procedure)	
0677T	Laparoscopic repositioning of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; first repositioned lead	
0678T	Laparoscopic repositioning of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; each additional repositioned lead (List separately in addition to code for primary procedure)	
0679T	Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	
0680T	Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing lead(s)	
0681T	Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing dual leads	
0682T	Removal of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	
0683T	Programming device evaluation (in-person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, permanent implantable	

	synchronized diaphragmatic stimulation system for augmentation of cardiac function	
0684T	Peri-procedural device evaluation (in-person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review, and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	
0685T	Interrogation device evaluation (in-person) with analysis, review and report by a physician or other qualified health care professional, including connection, recording and disconnection per patient encounter, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	
0686T	Histotripsy (i.e., non-thermal ablation via acoustic energy delivery) of malignant hepatocellular tissue, including image guidance	
0687T	Treatment of amblyopia using an online digital program; device supply, educational set-up, and initial session	
0688T	Treatment of amblyopia using an online digital program; assessment of patient performance and program data by physician or other qualified health care professional, with report, per calendar month	
0689T	Quantitative ultrasound tissue characterization (non-elastographic), including interpretation and report, obtained without diagnostic ultrasound examination of the same anatomy (eg, organ, gland, tissue, target structure)	
0690T	Quantitative ultrasound tissue characterization (non-elastographic), including interpretation and report, obtained with diagnostic ultrasound examination of the same anatomy (eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure)	
0691T	Automated analysis of an existing computed tomography study for vertebral fracture(s), including assessment of bone density when performed, data preparation, interpretation, and report	
0693T	Comprehensive full body computer-based markerless 3D kinematic and kinetic motion analysis and report	
0695T	Body surface-activation mapping of pacemaker or pacing cardioverter-defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization therapy device, including connection, recording, disconnection, review, and report; at time of implant or replacement	
0696T	Body surface-activation mapping of pacemaker or pacing cardioverter-defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization therapy device, including connection, recording, disconnection, review, and	

	report; at time of follow-up interrogation or programming device evaluation	
0697T	Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained without diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue, target structure) during the same session; multiple organs	
0698T	Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained with diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue, target structure); multiple organs (List separately in addition to code for primary procedure)	
0700T	Molecular fluorescent imaging of suspicious nevus; first lesion	
0701T	Molecular fluorescent imaging of suspicious nevus; each additional lesion (List separately in addition to code for primary procedure)	
0704T	Remote treatment of amblyopia using an eye tracking device; device supply with initial set-up and patient education on use of equipment	
0705T	Remote treatment of amblyopia using an eye tracking device; surveillance center technical support including data transmission with analysis, with a minimum of 18 training hours, each 30 days	
0706T	Remote treatment of amblyopia using an eye tracking device; interpretation and report by physician or other qualified health care professional, per calendar month	
0707T	Injection(s), bone-substitute material (eg, calcium phosphate) into subchondral bone defect (ie, bone marrow lesion, bone bruise, stress injury, microtrabecular fracture), including imaging guidance and arthroscopic assistance for joint visualization	
0716T	Cardiac acoustic waveform recording with automated analysis and generation of coronary artery disease risk score	
0725T	Vestibular device implantation, unilateral	
0726T	Removal of implanted vestibular device, unilateral	
0727T	Removal and replacement of implanted vestibular device, unilateral	
0728T	Diagnostic analysis of vestibular implant, unilateral; with initial programming	
0729T	Diagnostic analysis of vestibular implant, unilateral; with subsequent programming	
0730T	Trabeculotomy by laser, including optical coherence tomography (OCT) guidance	ExTra ELT by ELT Sight

0731T	Augmentative AI-based facial phenotype analysis with report	
0732T	Immunotherapy administration with electroporation, intramuscular	
0733T	Remote real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; supply and technical support, per 30 days	
0734T	Remote real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; treatment management services by a physician or other qualified health care professional, per calendar month	
0735T	Preparation of tumor cavity, with placement of a radiation therapy applicator for intraoperative radiation therapy (IORT) concurrent with primary craniotomy (List separately in addition to code for primary procedure)	
0737T	Xenograft implantation into the articular surface	
0738T	Treatment planning for magnetic field induction ablation of malignant prostate tissue, using data from previously performed magnetic resonance imaging (MRI) examination	
0739T	Ablation of malignant prostate tissue by magnetic field induction, including all intraprocedural, transperineal needle/catheter placement for nanoparticle installation and intraprocedural temperature monitoring, thermal dosimetry, bladder irrigation, and magnetic field nanoparticle activation	
0743T	Bone strength and fracture risk using finite element analysis of functional data and bone mineral density (BMD), with concurrent vertebral fracture assessment, utilizing data from a computed tomography scan, retrieval and transmission of the scan data, measurement of bone strength and BMD and classification of any vertebral fractures, with overall fracture-risk assessment, interpretation and report	
0744T	Insertion of bioprosthetic valve, open, femoral vein, including duplex ultrasound imaging guidance, when performed, including autogenous or nonautogenous patch graft (eg, polyester, ePTFE, bovine pericardium), when performed	
0748T	Injections of stem cell product into perianal perirectal soft tissue, including fistula preparation (eg, removal of setons, fistula curettage, closure of internal openings)	
0764T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to concurrently performed electrocardiogram (List separately in addition to code for primary procedure)	
0765T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to previously performed electrocardiogram	

0770T	Virtual reality technology to assist therapy (List separately in addition to code for primary procedure)	
0771T	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	
0772T	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	
0773T	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; initial 15 minutes of intraservice time, patient age 5 years or older	
0774T	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	
0777T	Real-time pressure-sensing epidural guidance system (List separately in addition to code for primary procedure)	
0778T	Surface mechanomyography (sMMG) with concurrent application of inertial measurement unit (IMU) sensors for measurement of multi-joint range of motion, posture, gait, and muscle function	
0779T	Gastrointestinal myoelectrical activity study, stomach through colon, with interpretation and report	
0781T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the pulmonary nerves, including fluoroscopic guidance when performed; bilateral mainstem bronchi	
0782T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency	

	destruction of the pulmonary nerves, including fluoroscopic guidance when performed; unilateral mainstem bronchus	
0790T	Revision (eg, augmentation, division of tether), replacement, or removal of thoracolumbar or lumbar vertebral body tethering, including thoracoscopy, when performed	
0791T	Motor-cognitive, semi-immersive virtual reality–facilitated gait training, each 15 minutes (List separately in addition to code for primary procedure)	
0793T	Percutaneous transcatheter thermal ablation of nerves innervating the pulmonary arteries, including right heart catheterization, pulmonary artery angiography, and all imaging guidance	
0794T	Patient-specific, assistive, rules-based algorithm for ranking pharmaco-oncologic treatment options based on the patient's tumor-specific cancer marker information obtained from prior molecular pathology, immunohistochemical, or other pathology results which have been previously interpreted and reported separately	CureMatch therapy
0805T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); percutaneous femoral vein approach	
0806T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); open femoral vein approach	
0807T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with previously acquired computed tomography (CT) images, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	XV Lung Ventilation Analysis Software
0808T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with computed tomography (CT) images taken for the purpose of pulmonary tissue ventilation analysis, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	XV Lung Ventilation Analysis Software
0820T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; first physician or other qualified health care professional, each hour	
0821T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; second physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for primary	

	procedure) <i>(Add-on Code - Use 0821T, 0822T in conjunction with 0820T)</i>	
0822T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; clinical staff under the direction of a physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for primary procedure) <i>(Add-on Code - Use 0821T, 0822T in conjunction with 0820T)</i>	
0826T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, leadless pacemaker system in single-cardiac chamber	
0857T	Opto-acoustic imaging, breast, unilateral, including axilla when performed, real-time with image documentation, augmentative analysis and report (List separately in addition to code for primary procedure)	
0859T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), other than for screening for peripheral arterial disease, image acquisition, interpretation, and report; each additional anatomic site (List separately in addition to code for primary procedure)	
0860T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), for screening for peripheral arterial disease, including provocative maneuvers, image acquisition, interpretation, and report, one or both lower extremities	
0864T	Low-intensity extracorporeal shock wave therapy involving corpus cavernosum, low energy	
0868T	High-resolution gastric electrophysiology mapping with simultaneous patient-symptom profiling, with interpretation and report	
0869T	Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation augmentation, including intraoperative imaging guidance, when performed	
0870T	Implantation of subcutaneous peritoneal ascites pump system, percutaneous, including pump-pocket creation, insertion of tunneled indwelling bladder and peritoneal catheters with pump connections, including all imaging and initial programming, when performed	
0871T	Replacement of a subcutaneous peritoneal ascites pump, including reconnection between pump and indwelling bladder	

	and peritoneal catheters, including initial programming and imaging, when performed	
0872T	Replacement of indwelling bladder and peritoneal catheters, including tunneling of catheter(s) and connection with previously implanted peritoneal ascites pump, including imaging and programming, when performed	
0873T	Revision of a subcutaneously implanted peritoneal ascites pump system, any component (ascites pump, associated peritoneal catheter, associated bladder catheter), including imaging and programming, when performed	
0874T	Removal of a peritoneal ascites pump system, including implanted peritoneal ascites pump and indwelling bladder and peritoneal catheters	
0875T	Programming of subcutaneously implanted peritoneal ascites pump system by physician or other qualified health care professional	
0877T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging	
0878T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; obtained with concurrent CT examination of the same structure	
0879T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; radiological data preparation and transmission	
0880T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; physician or other qualified health care professional interpretation and report	
0888T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including imaging guidance	
0897T	Noninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac arrhythmia simulations, based on selected intervals of interest from 12-lead electrocardiogram and uploaded clinical parameters, including uploading clinical parameters with interpretation and report	Unfold AI, Avenda Health
0898T	Noninvasive prostate cancer estimation map, derived from augmentative analysis of image-guided fusion biopsy and pathology, including visualization of margin volume and location, with margin determination and physician interpretation and report	

0906T	Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; first application, total wound(s) surface area less than or equal to 50 sq cm	COMS One Therapy System
0907T	Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total wound(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure)	
0915T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; pulse generator and dual transvenous electrodes/leads (pacing and defibrillation)	OPTIMIZER® Integra CCM-DTM System, (Cardiac Contractility Modulation – Defibrillator)
0916T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; pulse generator only	
0917T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; single transvenous lead (pacing or defibrillation) only	
0918T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; dual transvenous leads (pacing and defibrillation) only	
0919T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); pulse generator only	
0920T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous pacing lead only	
0921T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous defibrillation lead only	
0922T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); dual (pacing and defibrillation) transvenous leads only	
0923T	Removal and replacement of permanent cardiac contractility modulation-defibrillation pulse generator only	
0924T	Repositioning of previously implanted cardiac contractility modulation-defibrillation transvenous electrode(s)/lead(s), including fluoroscopic guidance and programming of sensing and therapeutic parameters	
0925T	Relocation of skin pocket for implanted cardiac contractility modulation-defibrillation pulse generator	

0926T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable cardiac contractility modulation-defibrillation system	
0927T	Interrogation device evaluation (in person) with analysis, review, and report, including connection, recording, and disconnection, per patient encounter, implantable cardiac contractility modulation-defibrillation system	
0928T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system with interim analysis and report(s) by a physician or other qualified health care professional	
0929T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system, remote data acquisition(s), receipt of transmissions, technician review, technical support, and distribution of results	
0930T	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), at time of initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator	
0931T	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), separate from initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator	
0935T	Cystourethroscopy with renal pelvic sympathetic denervation, radiofrequency ablation, retrograde ureteral approach, including insertion of guide wire, selective placement of ureteral sheath(s) and multiple conformable electrodes, contrast injection(s), and fluoroscopy, bilateral	
0944T	3D contour simulation of target liver lesion(s) and margin(s) for image-guided percutaneous microwave ablation	
0948T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation system with interim analysis, review and report(s) by a physician or other qualified health care professional	
0949T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation system, remote data acquisition(s), receipt of transmissions, technician review, technical support, and distribution of results	
0956T	Partial craniectomy, channel creation, and tunneling of electrode for sub-scalp implantation of an electrode array, receiver, and telemetry unit for continuous bilateral	Sub-Scalp Implantable Telemetric EEG

	electroencephalography monitoring system, including imaging guidance	
0957T	Revision of sub-scalp implanted electrode array, receiver, and telemetry unit for electrode, when required, including imaging guidance	
0958T	Removal of sub-scalp implanted electrode array, receiver, and telemetry unit for continuous bilateral electroencephalography monitoring system, including imaging guidance	
0959T	Removal or replacement of magnet from coil assembly that is connected to continuous bilateral electroencephalography monitoring system, including imaging guidance	
0960T	Replacement of sub-scalp implanted electrode array, receiver, and telemetry unit with tunneling of electrode for continuous bilateral electroencephalography monitoring system, including imaging guidance	
0962T	Assistive algorithmic analysis of acoustic and electrocardiogram recording for detection of cardiac dysfunction (eg, reduced ejection fraction, cardiac murmurs, atrial fibrillation), with review and interpretation by a physician or other qualified health care professional	
0967T	Transanal insertion of endoluminal temporary colorectal anastomosis protection device, including vacuum anchoring component and flexible sheath connected to external vacuum source and monitoring system	Colovac Device
0970T	Ablation, benign breast tumor (eg, fibroadenoma), percutaneous, laser, including imaging guidance when performed, each tumor	
0971T	Ablation, malignant breast tumor(s), percutaneous, laser, including imaging guidance when performed, unilateral	
0972T	Assistive algorithmic classification of burn healing (ie, healing or nonhealing) by noninvasive multispectral imaging, including system set-up and acquisition, selection, and transmission of images, with automated generation of report	
0984T	Intravascular imaging of extracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; initial vessel (List separately in addition to code for primary procedure)	
0985T	Intravascular imaging of extracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; each additional vessel (List separately in addition to code for primary procedure)	

0986T	Intravascular imaging of intracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; initial vessel (List separately in addition to code for primary procedure)	
0987T	Intravascular imaging of intracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; each additional vessel (List separately in addition to code for primary procedure)	
0991T	Cystourethroscopy, with low-energy lithotripsy and acoustically actuated microspheres, including imaging	AVVIO Enhanced Lithotripsy System by Avvio Medical
0992T	Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat without concurrent computed tomography (CT) scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified health care professional	CaRi-Heart Technology by Caristo diagnostics
0993T	Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat with concurrent computed tomography scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified health care professional (List separately in addition to code for primary procedure)	CaRi-Heart Technology by Caristo diagnostics
0994T	Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological supervision and interpretation; percutaneous	The Nectero Endovascular Stabilization Treatment (Nectero EAST®) System by Nectero Medical
0995T	Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological supervision and interpretation; open	The Nectero Endovascular Stabilization Treatment (Nectero EAST®) System by Nectero Medical
1002T	Air displacement plethysmography, whole-body composition assessment, with interpretation and report	BOD POD GS-X by COSMED
1004T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional; without programming	

1005T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, first 15 minutes face-to-face time with physician or other qualified health care professional	Minder iCEM by Epiminder
1006T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, each additional 15 minutes face-to-face time with physician or other qualified health care professional (List separately in addition to code for primary procedure)	Minder iCEM by Epiminder
1007T	Electroencephalogram from implanted sub-scalp continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording without video	Minder iCEM by Epiminder
1008T	Remote monitoring of sub-scalp implanted continuous bilateral electroencephalography monitoring system, device fitting, initial set-up, and patient education in wearing of system and use of equipment	Minder iCEM by Epiminder
1009T	Remote monitoring of a sub-scalp implanted continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording without video	Minder iCEM by Epiminder
1010T	Computerized ophthalmic analysis of monocular eye movements using retinal-based eye-tracking without spatial calibration, including fixation, microsaccades, drift, and horizontal saccades, when performed, unilateral or bilateral, with interpretation and report	CureSight by NovaSight
1012T	Motorized ab interno trephination of sclera (sclerostomy), or trabecular meshwork (trabeculostomy), 1 or more, including injection of antifibrotic agents, when performed	
1020T	Raman spectroscopy of 1 or more skin lesions, with probability score for malignant risk derived by algorithmic analysis of data from each lesion	
0387U	Oncology (melanoma), autophagy and beclin 1 regulator 1 (AMBRA1) and loricrin (AMLo) by immunohistochemistry, formalin-fixed paraffin-embedded (FFPE) tissue, report for risk of progression	AMBLor melanoma prognostic test, Avero® Diagnostics
0390U	Obstetrics (preeclampsia), kinase insert domain receptor (KDR), Endoglin (ENG), and retinol-binding protein 4 (RBP4), by immunoassay, serum, algorithm reported as a risk score	PEPredictDx, OncoOmicsDx Laboratory, mProbe

0393U	Neurology (eg, Parkinson disease, dementia with Lewy bodies), cerebrospinal fluid (CSF), detection of misfolded α -synuclein protein by seed amplification assay, qualitative	SYNTap Biomarker Test, Amprion Clinical Laboratory, Amprion Clinical Laboratory
0394U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 16 PFAS compounds by liquid chromatography with tandem mass spectrometry (LC-MS/MS), plasma or serum, quantitative	PFAS Testing & PFASure, National Medical Services, NMS Labs, Inc
0398U	Gastroenterology (Barrett esophagus), P16, RUNX3, HPP1, and FBN1 DNA methylation analysis using PCR, formalin-fixed paraffin-embedded (FFPE) tissue, algorithm reported as risk score for progression to high-grade dysplasia or cancer	ESOPREDICT Barrett's Esophagus Risk Classifier Assay, Capsulomics, Inc
0399U	Neurology (cerebral folate deficiency), serum, detection of anti-human folate receptor IgG binding antibody and blocking autoantibodies by enzyme-linked immunoassay (ELISA), qualitative, and blocking autoantibodies, using a functional blocking assay for IgG or IgM, quantitative, reported as positive or not detected	FRAT (Folate Receptor Antibody Test), Religen Inc
0479U	Tau, phosphorylated, pTau217	ALZpath pTau217, Neurocode USA
0482U	Obstetrics (preeclampsia), biochemical assay of soluble fmslike tyrosine kinase 1 (sFlt-1) and placental growth factor (PlGF), serum, ratio reported for sFlt1/PlGF, with risk of progression for preeclampsia with severe features within 2 weeks	Preeclampsia sFlt1/PlGF Ratio (PERA), Mayo Clinic
0483U	Infectious disease (Neisseria gonorrhoeae), sensitivity, ciprofloxacin resistance (gyrA S91F point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of fluoroquinolone resistance	Ciprofloxacin Susceptibility of Neisseria gonorrhoeae, MedArbor Diagnostics, SpeedX, Inc
0484U	Infectious disease (Mycoplasma genitalium), macrolide sensitivity (23S rRNA point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of macrolide resistance	Macrolide Resistance of Mycoplasma genitalium, MedArbor Diagnostics, SpeedX, Inc
0502U	Human papillomavirus (HPV), E6/E7 markers for high-risk types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68), cervical cells, branched-chain capture hybridization, reported as negative or positive for high risk for HPV	QuantiVirus™ HPV E6/E7 mRNA Test for Cervical Cancer, DiaCarta, Inc, DiaCarta, Inc
0503U	Neurology (Alzheimer disease), beta amyloid (A β 40, A β 42, A β 42/40 ratio) and tau-protein (ptau217, np-tau217, ptau217/nptau217 ratio), blood, immunoprecipitation with quantitation by liquid chromatography with tandem mass	PrecisionAD2, C2N Diagnostics, LLC

	spectrometry (LC-MS/MS), algorithm score reported as likelihood of positive or negative for amyloid plaques	
0504U	Infectious disease (urinary tract infection), identification of 17 pathologic organisms, urine, realtime PCR, reported as positive or negative for each organism	Urinary Tract Infection Testing, NxGen MDx LLC
0506U	Gastroenterology (Barrett's esophagus), esophageal cells, DNA methylation analysis by next-generation sequencing of at least 89 differentially methylated genomic regions, algorithm reported as likelihood for Barrett's esophagus	EndoSign Barrett's Esophagus Test, Cyted Health
0508U	TERMED 1/1/26 Transplantation medicine, quantification of donor-derived cell-free DNA using 40 single-nucleotide polymorphisms (SNPs), plasma, and urine, initial evaluation reported as percentage of donor-derived cell-free DNA with risk for active rejection	VitaGraft Kidney Baseline + 1st Plasma Test, Oncocyte Corporation
0509U	TERMED 1/1/26 Transplantation medicine, quantification of donor-derived cell-free DNA using up to 12 single-nucleotide polymorphisms (SNPs) previously identified, plasma, reported as percentage of donor-derived cell-free DNA with risk for active rejection	VitaGraft Kidney Subsequent, Oncocyte Corporation
0511U	Oncology (solid tumor), tumor cell culture in 3D microenvironment, 36 or more drug panel, reported as tumor-response prediction for each drug	PARIS, Tempus AI, Inc
0512U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) status, formalin-fixed paraffin-embedded (FFPE) tissue, reported as increased or decreased probability of MSI-high (MSI-H)	Tempus p-MSI, Tempus AI, Inc
0513U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) and homologous recombination deficiency (HRD) status, formalin-fixed paraffin-embedded (FFPE) tissue, reported as increased or decreased probability of each biomarker	Tempus p-Prostate, Tempus AI, Inc,
0517U	Therapeutic drug monitoring, 80 or more psychoactive drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally and maximally effective dose of prescribed and non-prescribed medications	PrecisView CNS, Phenomics Health
0518U	Therapeutic drug monitoring, 90 or more pain and mental health drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	SyncView Pain, Phenomics Health Inc
0519U	Therapeutic drug monitoring, medications specific to pain, depression, and anxiety, LCMS/MS, plasma, 110 or more drugs or substances, qualitative and quantitative therapeutic minimally effective range of prescribed, non-prescribed, and illicit medications in circulation	SyncView PainPlus, Phenomics Health Inc,

0520U	Therapeutic drug monitoring, 200 or more drugs or substances, LCMS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	SyncView Rx, Phenomics Health Inc
0524U	Oncology, spheroid cell culture, 11-drug panel (carboplatin, docetaxel, doxorubicin, etoposide, gemcitabine, niraparib, olaparib, paclitaxel, rucaparib, topotecan, veliparib) ovarian, fallopian, or peritoneal response prediction for each drug	PreClara™ Ratio (sFlt1/PIGF), Thermo Fisher Scientific, Thermo Fisher Scientific
0525U	Oncology, spheroid cell culture, 11-drug panel (carboplatin,	3D Predict™ Ovarian by KIYATEC® Inc.
0531U	Infectious disease (acid-fast bacteria and invasive fungi), DNA (673 organisms), next-generation sequencing, plasma	NeXGen™ Fungal/AFB NGS Assay, Eurofins Viracor, LLC
0535U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), by liquid chromatography with tandem mass spectrometry (LCMS/MS), plasma or serum, quantitative	PFAS Testing & PFASure® FT, National Medical Services (NMS Labs)
0540U	Transplantation medicine, quantification of donor-derived cell-free DNA using next-generation sequencing analysis of plasma, reported as percentage of donor-derived cell-free DNA to determine probability of rejection	AlloSure®, CareDx® Laboratory
0542U	Nephrology (renal transplant), urine, nuclear magnetic resonance (NMR) spectroscopy measurement of 84 urinary metabolites, combined with patient data, quantification of BK virus (human polyomavirus 1) using real-time PCR and serum creatinine, algorithm reported as a probability score for allograft injury status	myOLARISTM-KTdx, Olaris®, Inc.
0544U	TERMED 1/1/26 Nephrology (transplant monitoring), 48 variants by digital PCR, using cell-free DNA from plasma, donor-derived cell-free DNA, percentage reported as risk for rejection	VitaGraft™ Kidney 2.0, Oncocyte Corporation
0547U	Neurofilament light chain (NfL), chemiluminescent enzyme immunoassay, plasma, quantitative	Neurofilament Light Blood Test, Neurocode USA, Inc, Fujirebio Diagnostics, Inc
0548U	Glial fibrillary acidic protein (GFAP), chemiluminescent enzyme immunoassay, using plasma	Glial Fibrillary Acidic Protein Blood Test, Neurocode USA, Inc, Fujirebio Diagnostics, Inc
0551U	TERMED 1/1/26 Tau, phosphorylated, pTau217, by single-molecule array (ultrasensitive digital protein detection), using plasma	LucentAD p-Tau 217, Quanterix Corporation

0559U	Oncology (breast), quantitative enzyme-linked immunosorbent assay (ELISA) for secreted breast cancer protein marker (BF9 antigen), serum, result reported as indicative of response/no response to therapy or disease progression/regression	MammoCheck (Blood-Based Breast Cancer Test), Milagen, Inc.
0568U	Neurology (dementia), beta amyloid (A β 40, A β 42, A β 42/40 ratio), tau-protein phosphorylated at residue (eg, pTau217), neurofilament light chain (NfL), and glial fibrillary acidic protein (GFAP), by ultra-high sensitivity molecule array detection, plasma, algorithm reported as positive, intermediate, or negative for Alzheimer pathology	LucentAD Complete, Quanterix Corporation, Quanterix Corporation
0570U	Neurology (traumatic brain injury), analysis of glial fibrillary acidic protein (GFAP) and ubiquitin carboxylterminal hydrolase L1 (UCHL1), immunoassay, whole blood or plasma, individual components reported with the overall result of elevated or non-elevated based on threshold comparison	i-STAT TBI, Abbott Point of Care
0573U	Oncology (pancreas), 3 biomarkers (glucose, carcinoembryonic antigen, and gastricsin), pancreatic cyst lesion fluid, algorithm reported as categorical mucinous or non-mucinous	Amplified Sciences PanCystPro, Amplified Sciences, Inc.
0575U	Transplantation medicine (liver allograft rejection), miRNA gene expression profiling by RT-PCR of 4 genes (miR-122, miR-885, miR-23a housekeeping, spike-in control), serum, algorithm reported as risk of liver allograft rejection	HepatoTrack, LuminoDx Laboratory
0576U	Transplantation medicine (liver allograft rejection), quantitative donor-derived cell-free DNA (cfDNA) by whole genome next-generation sequencing, plasma and mRNA gene expression profiling by multiplex real-time PCR of 56 genes, whole blood, combined algorithm reported as a rejection risk score	OmniGraf Liver, Eurofins Transplant Genomics
0579U	Nephrology (diabetic chronic kidney disease), enzyme-linked immunosorbent assay (ELISA) of apolipoprotein A4 (APOA4), CD5 antigen-like (CD5L) combined with estimated glomerular filtration rate (GFR), age, plasma, algorithm reported as a risk score for kidney function decline	Promarker D, Proteomics International USA
0581U	Transplantation medicine, antibody to non-human leukocyte antigens (nonHLA), blood specimen, flow cytometry, single-antigen bead technology, 39 targets, individual positive antibodies reported	Autoantibody to NonHuman Leukocyte Antigen (non-HLA), Mayo Clinic
0587U	Therapeutic drug monitoring, 60-150 drugs and metabolites, urine, saliva, quantitative liquid chromatography with tandem mass spectrometry (LCMS/MS), specimen validity, and algorithmic analyses for presence or absence of drug or metabolite, risk score predicted for adverse drug effects	SafeDrugs, Astraeus Lab, LLC, Quantlio Technologies
0589U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 24 PFAS compounds by high-	PFAS (Forever Chemicals) Panel 2 –

	performance liquid chromatography with tandem mass spectrometry (LCMS/MS), plasma or serum, quantitative	24 PFAS, Quest Diagnostics
0590U	Infectious disease (bacterial and fungal), DNA of 44 organisms (34 bacteria, 10 fungi), urine, next-generation sequencing, reported as positive or negative for each organism	BIOTIA-ID Urine NGS Assay, Biotia Inc.
0593U	Infectious disease (genitourinary pathogens), DNA, 46 targets (28 pathogens, 18 resistance genes), RT-PCR amplified probe technique, urine, each analyte reported as detected or not detected	Taq Array Card Urinary Tract Infection PCR Panel, SoftCell Laboratories LLC
0594U	Infectious disease (sepsis), semiquantitative measurement of pancreatic stone protein concentration, whole blood, reported as risk of sepsis	IVD CAPSULE PSP – Rapid Sepsis Test, Abionic SA
0595U	Infectious disease (tropical fever pathogens), vector-borne and zoonotic pathogens, including 2 viruses (Chikungunya virus and Dengue virus serotypes 1, 2, 3, and 4), 1 bacterium (Leptospira species), and 1 parasite with species differentiation (Plasmodium species, Plasmodium falciparum, and Plasmodium vivax/ovale), real-time RT-PCR, whole blood, each pathogen reported as detected or not detected	BIOFIRE FILMARRAY Tropical Fever (TF) Panel, bioMérieux
0596U	Neurology (Alzheimer disease), plasma, 3 distinct isoform-specific peptides (APOE2, APOE3, and APOE4) by liquid chromatography with tandem mass spectrometry (LCMS/MS), reported as an APOE prototype	Precivity-ApoETM, C2N Diagnostics, LLC
0598U	Gastroenterology (irritable bowel syndrome), IgG antibodies to 18 food items by microarray-based immunoassay, whole blood or serum, report as elevated (positive) or normal (negative) antibody levels	inFoods® IBS, Ethos Laboratories, Biomerica
0599U	Oncology (pancreatic cancer), multiplex immunoassay of ICAM1, TIMP1, CTSD, THBS1, and CA 19-9, serum, diagnostic algorithm reported as positive or negative	PancreaSure, Immunovia, Inc.
0600U	Infectious disease (wound infection), identification of 65 organisms and 30 antibiotic resistance genes, wound swab, real-time PCR, reported as positive or negative for each organism	FidaLab Molecular Wound Infection Test, FidaLab LLC
0601U	Infectious disease (periprosthetic joint infection), analysis of 11 biomarkers (alpha defensins 1–3, C-reactive protein, microbial antigens for Staphylococcus [SPA, SPB], Enterococcus, Candida, and C. acnes, total nucleated cell count, percent neutrophils, RBC count, and absorbance at 280 nm) using immunoassays, hematology, clinical chemistry, synovial fluid, and diagnostic algorithm reported as a probability score	Synovasure® Comprehensive PJI Test Panel with SynTuitionTM, CD Laboratories, Inc, a division of Zimmer Biomet
0602U	Endocrinology (diabetes), insulin (INS) gene methylation using digital droplet PCR, insulin, and C-peptide immunoassay, serum, Hemoglobin A1c immunoassay, whole blood, algorithm reported as diabetes-risk score	Kihealth Inc® Diabetes Risk Test, Kihealth Inc® Laboratory

22836	Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; up to 7 vertebral segments	
22837	Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; 8 or more vertebral segments	
22838	Revision (eg, augmentation, division of tether), replacement, or removal of thoracic vertebral body tethering, including thoracoscopy, when performed	
52284	Cystourethroscopy, with mechanical urethral dilation and urethral therapeutic drug delivery by drug-coated balloon catheter for urethral stricture or stenosis, male, including fluoroscopy, when performed	
57465	Computer-aided mapping of cervix uteri during colposcopy, including optical dynamic spectral imaging and algorithmic quantification of the acetowhitening effect (List separately in addition to code for primary procedure)	DYSIS Medical digital colposcope
62263	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (eg, catheter) including radiologic localization (includes contrast when administered), multiple adhesiolysis sessions; 2 or more days	
62264	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (eg, catheter) including radiologic localization (includes contrast when administered), multiple adhesiolysis sessions; 1 day	
64910	Nerve repair; with synthetic conduit or vein allograft (eg, nerve tube), each nerve	
66683	Implantation of iris prosthesis, including suture fixation and repair or removal of iris, when performed	
68841	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	
77089	Trabecular bone score (TBS), structural condition of the bone microarchitecture; using dual X-ray absorptiometry (DXA) or other imaging data on gray-scale variogram, calculation, with interpretation and report on fracture-risk	
77090	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical preparation and transmission of data for analysis to be performed elsewhere	
77091	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical calculation only	
77092	Trabecular bone score (TBS), structural condition of the bone microarchitecture; interpretation and report on fracture-risk only by other qualified health care professional	
77423	High energy neutron radiation treatment delivery; 1 or more isocenter(s) with coplanar or non-coplanar geometry with blocking and/or wedge, and/or compensator(s)	

75577	Quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, derived from augmentative software analysis of the data set from a coronary computed tomographic angiography, with interpretation and report by a physician or other qualified health care professional	CaRi-Plaque™ technology by Cariso Diagnostics
81506	Endocrinology (type 2 diabetes), biochemical assays of seven analytes (glucose, HbA1c, insulin, hs-CRP, adiponectin, ferritin, interleukin 2-receptor alpha), utilizing serum or plasma, algorithm reporting a risk score	Boston Heart Prediabetes Assessment PreDx Diabetes Risk Score (DRS) by Tethys Bioscience, Inc
83951	Oncoprotein; des-gamma-carboxy-prothrombin (DCP)	
87513	Infectious agent detection by nucleic acid (DNA or RNA); Helicobacter pylori (H. pylori), clarithromycin resistance, amplified probe technique	
92972	Percutaneous transluminal coronary lithotripsy (List separately in addition to code for primary procedure)	
93590	Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve	
93591	Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, aortic valve	
93592	Percutaneous transcatheter closure of paravalvular leak; each additional occlusion device (List separately in addition to code for primary procedure)	
95919	Quantitative pupillometry with physician or other qualified health care professional interpretation and report, unilateral or bilateral	
96931	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.
96932	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, first lesion	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.
96933	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, first lesion	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.
96934	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, each additional lesion (List separately in addition to code for primary procedure)	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.
96935	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, each additional lesion (List separately in addition to code for primary procedure)	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.

96936	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, each additional lesion (List separately in addition to code for primary procedure)	VivaScope 1500 by Caliber Imaging & Diagnostics, Inc.
97610	Low frequency, non-contact, non-thermal ultrasound, including topical application(s), when performed, wound assessment, and instruction(s) for ongoing care, per day	
HCPCS CODES		
A6000	Non-contact wound warming wound cover for use with the non-contact wound warming device and warming card	
A7021	Supplies and accessories for lung expansion airway clearance, continuous high frequency oscillation, and nebulization device (e.g., handset, nebulizer kit, biofilter)	Volara System
A8005	Powered, cable driven grip assist glove, hand, finger, includes microprocessor, pressure sensors, all components and accessories, custom fitted	
A8006	Powered, cable driven grip assist glove, hand, finger, includes pressure sensors, glove replacement only	
A9268	Programmer for transient, orally ingested capsule	Vibrant System
A9269	Programable, transient, orally ingested capsule, for use with external programmer, per month	Vibrant System
A9292	Prescription digital visual therapy, software-only, FDA cleared, per course of treatment	Luminopia One
A9293	Fertility cycle (contraception & conception) tracking software application, FDA cleared, per month, includes accessories (e.g., thermometer)	Natural Cycles
C1735	Catheter(s), intravascular for renal denervation, radiofrequency, including all single use system components	
C1736	Catheter(s), intravascular for renal denervation, ultrasound, including all single use system components	
C1743	Scaffold, endovascular non-coronary, resorbable drug eluting, with delivery system (implantable)	
C1761	Catheter, transluminal intravascular lithotripsy, coronary	Shockwave Coronary Rx Lithoplasty System
C1824	Generator, cardiac contractility modulation (implantable)	Cardiac Contractility Modulation for Chronic Heart Failure (i.e., Optimizer by Impulse Dynamics)
C1833	Monitor, cardiac, including intracardiac lead and all system components (implantable)	
C1839	Iris prosthesis	
C8001	3D anatomical segmentation imaging for preoperative planning, data preparation and transmission, obtained from previous diagnostic computed tomographic or magnetic resonance examination of the same anatomy	

C8003	Implantation of medial knee extraarticular implantable shock absorber spanning the knee joint from distal femur to proximal tibia, open, includes measurements, positioning and adjustments, with imaging guidance (eg, fluoroscopy)	
C8004	Simulation angiogram with use of a pressure-generating catheter (e.g., one-way valve, intermittently occluding), inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the angiogram, for subsequent therapeutic radioembolization of tumors	
C8010	Percutaneous placement of permanent common carotid embolic protection device, including all system components and imaging guidance; bilateral	
C9352	Microporous collagen implantable tube (neuragen nerve guide), per centimeter length	
C9353	Microporous collagen implantable slit tube (neurawrap nerve protector), per centimeter length	
C9355	Collagen nerve cuff (neuromatrix), per 0.5 centimeter length	
C9759	Transcatheter intraoperative blood vessel microinfusion(s) (e.g., intraluminal, vascular wall and/or perivascular) therapy, any vessel, including radiological supervision and interpretation, when performed	Bullfrog Micro-infusion device by Mercator Medsystems
C9361	Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	
C9764	Revascularization, endovascular, open or percutaneous, any vessel(s); with intravascular lithotripsy, includes angioplasty within the same vessel(s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9765	Revascularization, endovascular, open or percutaneous, any vessel(s); with intravascular lithotripsy, and transluminal stent placement(s), includes angioplasty within the same vessel(s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9766	Revascularization, endovascular, open or percutaneous, any vessel(s); with intravascular lithotripsy and atherectomy, includes angioplasty within the same vessel(s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9767	Revascularization, endovascular, open or percutaneous, any vessel(s); with intravascular lithotripsy and transluminal stent placement(s), and atherectomy, includes angioplasty within the same vessel(s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9768	Endoscopic ultrasound-guided direct measurement of hepatic portosystemic pressure gradient by any method (list separately in addition to code for primary procedure)	Echotip by Cook Medical
C9772	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery(ies), with intravascular lithotripsy, includes angioplasty within the same vessel (s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc

C9773	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery(ies); with intravascular lithotripsy, and transluminal stent placement(s), includes angioplasty within the same vessel(s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9774	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery(ies); with intravascular lithotripsy and atherectomy, includes angioplasty within the same vessel (s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9775	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery(ies); with intravascular lithotripsy and transluminal stent placement(s), and atherectomy, includes angioplasty within the same vessel (s), when performed	Shockwave Medical Peripheral IVL System by Shockwave Medical Inc
C9780	Insertion of central venous catheter through central venous occlusion via inferior and superior approaches (e.g., inside-out technique), including imaging guidance	Surfacer® Inside-Out® Access Catheter System (Surfacer System)
C9781	Arthroscopy, shoulder, surgical; with implantation of subacromial spacer (e.g., balloon), includes debridement (e.g., limited or extensive), subacromial decompression, acromioplasty, and biceps tenodesis when performed	InSpace Subacromial Spacer by Stryker
C9793	3d predictive model generation for pre-planning of a cardiac procedure, using data from cardiac computed tomographic angiography and/or magnetic resonance imaging with report	
E0231	Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wound cover.	
E0232	Warming card for use with the non contact wound warming device and non contact wound warming wound cover	
E0469	Lung expansion airway clearance, continuous high frequency oscillation, and nebulization device	Volara System
E0677	Non-pneumatic sequential compression garment, trunk	Koya Dayspring® trunk garment (Koya Medical, Inc.)
E0678	Non-pneumatic sequential compression garment, full leg	
E0679	Non-pneumatic sequential compression garment, half leg	
E0680	Non-pneumatic compression controller without calibrated gradient pressure	
E0681	Non-pneumatic compression controller without calibrated gradient pressure	
E0682	Non-pneumatic sequential compression garment, full armC	
E0738	Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all components and accessories	IpsiHand Upper Extremity Rehabilitation Stsem
E0739	Rehabilitation system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories, motors, microprocessors, sensors	Motus Hand and Motus Foot
E1905	Virtual reality cognitive behavioral therapy device (cbt), including pre-programmed therapy software	RelieVRx by Applied VR

E3000	Speech volume modulation system, any type, including all components and accessories	SpeechVive by SpeechVive Inc.
E3200	Gait modulation system, rhythmic auditory stimulation, including restricted therapy software, all components and accessories, prescription only	InTandem
G0069	Professional services for the administration of subcutaneous immunotherapy for each infusion drug administration calendar day in the individual's home, each 15 minutes	
J1096	Dexamethasone, lacrimal ophthalmic insert, 0.1 mg	Dextenza® by Ocular Therapeutix, Inc.
J7402	Mometasone furoate sinus implant, (sinuva), 10 micrograms	SINUVA
K1004	Low frequency ultrasonic diathermy treatment device for home use	
K1007	Bilateral hip, knee, ankle, foot device, powered, includes pelvic component, single or double upright(s), knee joints any type, with or without ankle joints any type, includes all components and accessories, motors, microprocessors, sensors	ReWalk™ Exoskeleton by ReWalk Robotics
K1030	External recharging system for battery (internal) for use with implanted cardiac contractility modulation generator, replacement only	Cardiac Contractility Modulation for Chronic Heart Failure (i.e., Optimizer by Impulse Dynamics)
K1036	Supplies and accessories (e.g., transducer) for low frequency ultrasonic diathermy treatment device, per month	
L8701	Powered upper extremity range of motion assist device, elbow, wrist, hand with single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	MyoPro® (Myomo, Inc.) Assist Device
L8702	Powered upper extremity range of motion assist device, elbow, wrist, hand, finger, single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	MyoPro® (Myomo, Inc.) Assist Device

***Coding Notes:**

- The above code list is provided as a courtesy and may not be all-inclusive. Inclusion or omission of a code from this policy neither implies nor guarantees reimbursement or coverage. Some codes may not require routine review for medical necessity, but they are subject to provider contracts, as well as member benefits, eligibility and potential utilization audit.
- All unlisted codes are reviewed for medical necessity, correct coding, and pricing at the claim level. If an unlisted code is submitted for non-covered services addressed in this policy then it will be **denied as not covered**. If an unlisted code is submitted for potentially covered services addressed in this policy, to avoid post-service denial, **prior authorization is recommended**.
- **See the non-covered and prior authorization lists on the Company [Medical Policy, Reimbursement Policy, Pharmacy Policy and Provider Information website](#) for additional information.**
- HCPCS/CPT code(s) may be subject to National Correct Coding Initiative (NCCI) procedure-to-procedure (PTP) bundling edits and daily maximum edits known as “medically unlikely edits” (MUEs) published by the Centers for Medicare and Medicaid Services (CMS). This policy does not take precedence over NCCI edits or MUEs. Please refer to the CMS website for coding guidelines and applicable code combinations.

POLICY REVISION HISTORY

DATE	REVISION SUMMARY
2/2023	Converted to new policy template.
3/2023	Interim update: 4/1 codes.
6/2023	Annual review. Title update. Defined investigational vs not medically necessary codes.
7/2023	Q3 2023 code set update.
10/2023	Q4 2023 code set update.
12/2023	Interim update. Remove codes from policy, to be addressed in Non-Covered Genetic Testing Panels policy.
1/2024	Q1 2024 code set update.
4/2024	Annual review. Codes removed from policy, addressed on other policies. Code configuration changes.
	Q2 2024 code set update.
7/2024	Q3 2024 code set update.
10/2024	Q4 2024 code set update.
1/2025	Q1 2025 code set update.
3/2025	Removed several codes, now addressed by different policy.
4/2025	Annual update and Q2 code set updates. Minor coding changes.
5/6/2025	Interim update. 3 codes moved from Liver Tumor Treatments policy to this policy.
7/2025	Q3 2025 code set update.
10/2025	Q4 2025 code set update.
1/2026	Interim update. Removed codes being reviewed by Carelon. Q1 2026 code set update.
4/2026	Annual update. Changed denial from investigational to not medically necessary for certain codes. Q2 2026 code set update.