


<b>MEDICAL POLICY</b>	<b>Respiratory Viral Panels (Medicare Only)</b>
<b>Effective Date: 10/1/2021</b>   10/1/2021	Medical Policy Number: 255
	Medical Policy Committee Approved Date: 9/2020; 9/2021
Medical Officer	Date

**See Policy CPT/HCPCS CODE section below for any prior authorization requirements**

**SCOPE:**

Providence Health Plan, Providence Health Assurance, Providence Plan Partners, and Ayin Health Solutions as applicable (referred to individually as “Company” and collectively as “Companies”).

**APPLIES TO:**

Medicare Only

**MEDICARE POLICY CRITERIA**

The following Centers for Medicare & Medicaid Service (CMS) guidelines should be utilized for medical necessity coverage determinations. Click the link provided in the table below to access applicable medical necessity criteria. All listed guidelines apply.

Service	Medicare Guidelines
<i>Multiplex nucleic acid amplified tests for respiratory viral panels</i>	<ul style="list-style-type: none"> <li>Local Coverage Determination (LCD): MoIDX: Multiplex Nucleic Acid Amplified Tests for Respiratory Viral Panels (<a href="#">L37315</a>)</li> <li></li> </ul>

**BILLING GUIDELINES**

CPT codes 87631, 87636, 87637, 0240U and 0241U are covered only when billed with an ICD-10 code that supports medical necessity, as outlined in the local coverage article (LCA) [A57340](#).

**CPT/HCPCS CODES**

<b>MEDICAL POLICY</b>	<b>Respiratory Viral Panels (Medicare Only)</b>
-----------------------	---

<b>Medicare Only</b>	
<b>No Prior Authorization Required</b>	
87631	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
87636	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique
87637	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
0240U	Infectious disease (viral respiratory tract infection), pathogen-specific RNA, 3 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2], influenza A, influenza B), upper respiratory specimen, each pathogen reported as detected or not detected
0241U	Infectious disease (viral respiratory tract infection), pathogen-specific RNA, 4 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2], influenza A, influenza B, respiratory syncytial virus [RSV]), upper respiratory specimen, each pathogen reported as detected or not detected
<b>Not Covered</b>	
87632	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
87633	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
0098U	Respiratory pathogen, multiplex reverse transcription and multiplex amplified probe technique, multiple types or subtypes, 14 targets (adenovirus, coronavirus, human metapneumovirus, influenza A, influenza A subtype H1, influenza A subtype H3, influenza A subtype H1-2009, influenza B, parainfluenza virus, human rhinovirus/enterovirus, respiratory syncytial virus, Bordetella pertussis, Chlamydomphila pneumoniae, Mycoplasma pneumoniae)
0099U	Respiratory pathogen, multiplex reverse transcription and multiplex amplified probe technique, multiple types or subtypes, 20 targets (adenovirus, coronavirus 229E, coronavirus HKU1, coronavirus, coronavirus OC43, human metapneumovirus, influenza A, influenza A subtype, influenza A subtype H3, influenza A subtype H1-2009, influenza, parainfluenza virus, parainfluenza virus 2, parainfluenza virus 3, parainfluenza virus 4,

<b>MEDICAL POLICY</b>	<b>Respiratory Viral Panels (Medicare Only)</b>
-----------------------	---

	human rhinovirus/enterovirus, respiratory syncytial virus, Bordetella pertussis, Chlamydomphila pneumonia, Mycoplasma pneumoniae)
0100U	Respiratory pathogen, multiplex reverse transcription and multiplex amplified probe technique, multiple types or subtypes, 21 targets (adenovirus, coronavirus 229E, coronavirus HKU1, coronavirus NL63, coronavirus OC43, human metapneumovirus, human rhinovirus/enterovirus, influenza A, including subtypes H1, H1-2009, and H3, influenza B, parainfluenza virus 1, parainfluenza virus 2, parainfluenza virus 3, parainfluenza virus 4, respiratory syncytial virus, Bordetella parapertussis [IS1001], Bordetella pertussis [ptxP], Chlamydia pneumoniae, Mycoplasma pneumoniae)
0115U	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18 viral types and subtypes and 2 bacterial targets, amplified probe technique, including multiplex reverse transcription for RNA targets, each analyte reported as detected or not detected
0151U	Infectious disease (bacterial or viral respiratory tract infection), pathogen specific nucleic acid (DNA or RNA), 33 targets, real-time semi-quantitative PCR, bronchoalveolar lavage, sputum, or endotracheal aspirate, detection of 33 organismal and antibiotic resistance genes with limited semi-quantitative results
0202U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected
0223U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected
0225U	Infectious disease (bacterial or viral respiratory tract infection) pathogen-specific DNA and RNA, 21 targets, including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), amplified probe technique, including multiplex reverse transcription for RNA targets, each analyte reported as detected or not detected

**INSTRUCTIONS FOR USE**

Company Medical Policies serve as guidance for the administration of plan benefits. Medical policies do not constitute medical advice nor a guarantee of coverage. Company Medical Policies are reviewed annually and are based upon published, peer-reviewed scientific evidence and evidence-based clinical practice guidelines that are available as of the last policy update. The Companies reserve the right to determine the application of Medical Policies and make revisions to Medical Policies at any time. Providers will be given at least 60-days notice of policy changes that are restrictive in nature.

The scope and availability of all plan benefits are determined in accordance with the applicable coverage agreement. Any conflict or variance between the terms of the coverage agreement and Company Medical Policy will be resolved in favor of the coverage agreement.

**REGULATORY STATUS**

<b>MEDICAL POLICY</b>	<b>Respiratory Viral Panels (Medicare Only)</b>
-----------------------	---

Mental Health Parity Statement

Coverage decisions are made on the basis of individualized determinations of medical necessity and the experimental or investigational character of the treatment in the individual case. In cases where medical necessity is not established by policy for specific treatment modalities, evidence not previously considered regarding the efficacy of the modality that is presented shall be given consideration to determine if the policy represents current standards of care.